



## QUOTATION

6803 Manlius Center Road, East Syracuse, NY 13057 phone (315) 437-1471 fax (315) 437-4041

TO:

<b>Customer</b>	ALBANY COUNTY	
<b>Address</b>	449 NEW SALEM RD.	
<b>City, State, Zip Code</b>	VOORHEESVILLE, NY 12186	
<b>Contact Person</b>	SCOTT DUNCAN	
<b>Phone Number</b>	(518) 655-7906	<b>Fax Number</b>
<b>Date of Quotation</b>	7/22/2022	<b>Quotation Price Good Through</b>
<b>Salesman Name</b>	MATT BRAYMAN	<b>N/A</b>

Stock #	New or Used	Description	Price:
	NEW	WESTERN STAR 47X CAB/CHASSIS MSRP	\$226,634
		LESS 45.11% PER ONONDAGA CONTRACT #8996	-\$102,235
		BASE PRICE	\$124,399
		LIST PRICE OF SPEC'D OPTIONS	\$3,321
		LESS 40.5% PER CONTRACT	-\$1,345
		TOTAL PRICE OF SPEC'D OPTIONS	\$1,976
		NON-DISCOUNTABLE FACTORY OPTIONS/CHARGES:	
		MODEL YEAR 2023 PRODUCTION SURCHARGE	\$10,300
		CARB22 BASE WARRANTY SURCHARGE	\$1,350
		FRONT TIRE SURCHARGE	\$50
		EW4 7-YEAR/150,000 MILES EXTENDED ENGINE/ATS WARRANTY	\$5,165
		AFTERMARKET:	
		HEATED WIPER BLADES	\$625
		RH SPRING BUILD-UP FOR WING PLOW	\$1,250
		VIKING PLOW EQUIPMENT PACKAGE, PER QUOTE	\$106,674.10
		DELIVERY CHARGE, PER CONTRACT	\$160
		PRICE SUBJECT TO ANY/ALL FUTURE SURCHARGES/INCREASES	
		<b>Total</b>	\$251,949.10

### Description of Trade-In (Year, Make, Lienholder, Amount owed on unit, Gross Trade-in allowance)

		\$0
DETAILS OF PROPOSED TRANSACTION:		TERMS AVAILABLE:
CASH PRICE	\$251,949.10	12mos @ =
-TRADE-IN (see above)	\$0	24mos @ =
NET PRICE	\$251,949.10	36mos @ =
SALES TAX (if applicable)	\$0	48mos @ =
FET ON NET (if applic.)		60mos @ =
<b>TOTAL PRICE</b>	<b>\$251,949.10</b>	

WE APPRECIATE THIS OPPORTUNITY TO QUOTE YOU. I ASSURE YOU THAT YOUR ORDER WILL BE MOST APPRECIATED AND HANDLED IN A PROMPT AND CAREFUL MANNER. PLEASE FEEL FREE TO CALL ME WHEN I CAN BE OF SERVICE...

*Brendan J. Geiss*

Sales Representative

Thank You



Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906


Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

*A proposal for*  
***Albany County Dpw***

*Prepared by*  
***TRACEY ROAD EQUIPMENT, INC.***  
*Brendan Geiss*

*May 15, 2022*

**Western Star 47X**



Components shown may not reflect all spec'd options and are not to scale

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

## SPECIFICATION PROPOSAL

Description
<b>Price Level</b>
WST 47X/49X PRL-26X (EFF:07/26/21)
<b>Data Version</b>
SPECPRO21 DATA RELEASE VER 048
<b>Vehicle Configuration</b>
WESTERN STAR 47X 2023 MODEL YEAR SPECIFIED SET FORWARD AXLE - TRUCK STRAIGHT TRUCK PROVISION, NON-TOWING LH PRIMARY STEERING LOCATION
<b>General Service</b>
TRUCK CONFIGURATION DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES) CONSTRUCTION SERVICE GOVERNMENT BUSINESS SEGMENT DIRT/SAND/ROCK COMMODITY TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS MAXIMUM 8% EXPECTED GRADE SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE WESTERN STAR VOCATIONAL WARRANTY EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 66000.0 lbs
<b>Truck Service</b>
FRONT PLOW/END DUMP BODY

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
VIKING CIVES, LTD.
<b>Engine</b>
DETROIT DD13 GEN 5 12.8L 450 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB-FT @ 975 RPM
<b>Electronic Parameters</b>
75 MPH ROAD SPEED LIMIT
PTO MODE ENGINE RPM LIMIT - 1600 RPM
PTO RPM CONTROL WITH STEERING WHEEL SWITCHES
PTO MODE RPM INCREMENT - 25 RPM
PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND
ONE DASH MOUNTED PTO SPEED WITH PTO SWITCH ENGAGEMENT
PTO SPEED 1 SETTING - 900 RPM
SOFT CRUISE CONTROL ENABLED
PTO MINIMUM RPM - 700
ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE
MAINTENANCE SYSTEM WITH NO POP-UPS AND NO MENU IN CLUSTER
PTO 1, DASH SWITCH, ENGAGE WHILE DRIVING
ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION
<b>Engine Equipment</b>
2010 EPA/CARB/GHG21 CONFIGURATION
2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES
PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
BATTERY BOX MOUNTED UNDER PASSENGER SEAT
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
PLASTIC BATTERY BOX COVER
POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT
BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
JACOBS COMPRESSION BRAKE
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH
11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
13 GALLON DIESEL EXHAUST FLUID TANK UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER
LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
STANDARD DIESEL EXHAUST FLUID TANK CAP
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD
ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
DETROIT FUEL/WATER SEPARATOR WITH BYPASS AND 12 VOLT PREHEATER
DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
FULL FLOW OIL FILTER

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

#### Description

1400 SQUARE INCH VOCATIONAL RADIATOR  
WITH PROTECTION PACKAGE  
ANTIFREEZE TO -34F, OAT (NITRITE AND  
SILICATE FREE) EXTENDED LIFE COOLANT  
GATES BLUE STRIPE COOLANT HOSES OR  
EQUIVALENT  
HDEP FIXED RATIO COOLANT PUMP AND  
RADIATOR DRAIN VALVE  
LOWER RADIATOR GUARD  
1350 ADAPTER FLANGE FOR FRONT PTO  
PROVISION  
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK  
HEATER  
PHILLIPS-TEMRO 300 WATT/115 VOLT OIL  
PREHEATER  
CHROME ENGINE HEATER RECEPTACLE  
MOUNTED UNDER LH DOOR  
MITSUBISHI 12V MOD 3.175-DP60 STARTER  
WITH INTEGRATED MAGNETIC SWITCH

#### Transmission

EATON FULLER RTO-16908LL TRANSMISSION

#### Transmission Equipment

QUICKFIT BODY LIGHTING CONNECTOR UNDER  
CAB, WITH BLUNTCUTS  
EATON ADVANTAGE 15-1/2 INCH SELF  
ADJUSTING CLUTCH  
TORQUE LIMITING CLUTCH BRAKE  
ZERK FITTING WITH EXTENSION HOSE AT  
CLUTCH RELEASE BEARING  
HYDRAULIC CLUTCH CONTROL  
ALUMINUM CLUTCH HOUSING  
CUSTOMER INSTALLED MUNCIE CS8 SERIES  
PTO  
PTO MOUNTING, BOTTOM OF MAIN  
TRANSMISSION DETROIT & EATON FULLER  
TRANSMISSION  
MAGNETIC PLUGS, ENGINE DRAIN,  
TRANSMISSION DRAIN, AXLE(S) FILL AND  
DRAIN  
PAINTED SHIFT LEVER, SOLID LINKAGE  
AIR TO OIL TRANSMISSION COOLER  
SYNTHETIC TRANSMISSION LUBE

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
<b>Front Axle and Equipment</b>
MFS-20-133A 20,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE CONMET PRESET PLUS PREMIUM IRON FRONT HUBS MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES NON-ASBESTOS FRONT BRAKE LINING CONMET CAST IRON FRONT BRAKE DRUMS FRONT BRAKE DUST SHIELDS FRONT OIL SEALS VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL HALDEX AUTOMATIC FRONT SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS DUAL POWER STEERING GEARS, BENDIX 16- 20K 4 QUART POWER STEERING RESERVOIR OIL/AIR POWER STEERING COOLER SYNTHETIC 40/50W FRONT AXLE LUBE
<b>Front Suspension</b>
20,000# TAPERLEAF FRONT SUSPENSION MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION FRONT SHOCK ABSORBERS
<b>Rear Axle and Equipment</b>
RT-46-160P 46,000# R-SERIES TANDEM REAR AXLE CONMET PRESET PLUS PREMIUM IRON REAR HUBS 4.10 REAR AXLE RATIO IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING RPL25SD MERITOR MAIN DRIVELINE RPL20 MERITOR INTERAXLE DRIVELINE DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES



Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES NON-ASBESTOS REAR BRAKE LINING BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) CONMET CAST IRON REAR BRAKE DRUMS REAR BRAKE DUST SHIELDS REAR OIL SEALS BENDIX EVERSURE LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS HALDEX AUTOMATIC REAR SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE STANDARD REAR AXLE BREATHER(S)
<b>Rear Suspension</b>
TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION 9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT) AXLE CLAMPING GROUP 55 INCH AXLE SPACING FORE/AFT AND TRANSVERSE CONTROL RODS REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)
<b>Brake System</b>
WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
BENDIX OIL COALESCING FILTER FOR AIR DRYER
AIR DRYER FRAME MOUNTED
STEEL AIR BRAKE RESERVOIRS, NO TRIPLE OR TORPEDO TANKS
PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

#### Wheelbase & Frame

5390MM (212 INCH) WHEELBASE, SFA ONLY  
13.0MM X 87.0MM X 311.0MM STEEL FRAME  
(0.51X3.43X12.24 INCH) 120 KSI  
TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT  
1900MM (75 INCH) REAR FRAME OVERHANG  
FRAME OVERHANG RANGE: 71 INCH TO 80 INCH  
24 INCH INTEGRAL FRONT FRAME EXTENSION  
SQUARE END OF FRAME  
REAR TOW HOOKS  
STANDARD WEIGHT ENGINE CROSSMEMBER  
STANDARD CROSSMEMBER BACK OF TRANSMISSION  
HEAVY DUTY MIDSHIP #1 CROSSMEMBER  
HEAVY DUTY REAR CROSSMEMBER  
STANDARD SUSPENSION CROSSMEMBER  
STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER

#### Chassis Equipment

UNPOLISHED ALUMINUM WST EQUIPMENT COVERS  
CLEAR FRAME SPACE REQUESTED  
TEMPORARY STEEL BUMPER  
CLASS 10.9 THREADED METRIC FASTENERS;  
REAR SUSPENSION HANGER TO BE HUCK-SPIN  
EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE

#### Fuel Tanks

100 GALLON/378 LITER ALUMINUM FUEL TANK - LH  
25 INCH DIAMETER FUEL TANK(S)

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS FUEL TANK(S) FORWARD PLAIN STEP FINISH CHROME FUEL TANK CAP(S) EQUIFLO INBOARD FUEL SYSTEM HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
<b>Tires</b>
MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL FRONT TIRES MICHELIN XDS 12R22.5 16 PLY RADIAL REARTIRES
<b>Wheels</b>
ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS FRONT WHEEL MOUNTING NUTS REAR WHEEL MOUNTING NUTS NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES
<b>Cab Exterior</b>
111 INCH BBC CONVENTIONAL ALUMINUM CAB STAINLESS STEEL CAB ACCENT MOLDING FRONT FENDERS BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS X-SERIES STEEL REINFORCED ALUMINUM CAB X-SERIES VOCATIONAL HOOD WITH ACCESS HATCH HOOD OPENING ASSIST WITH LOCKING STRUT WESTERN STAR NAMEPLATES

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS
SINGLE ELECTRIC HORN
REAR LICENSE PLATE MOUNT END OF FRAME
DUAL AMBER LED CLASS I STROBE LIGHTS WITH STAINLESS STEEL BRACKETS ABOVE CAB DOORS
DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM
VISOR MOUNTED LED MARKER LIGHTS
WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER
DAYTIME RUNNING LIGHTS
LED STOP/TAIL WITH SEPARATE LED BACKUP LIGHTS MOUNTED ON PAINTED STEEL PLATE END OF FRAME
LED SIDE TURN SIGNAL
C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR
102 INCH EQUIPMENT WIDTH
LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS
RH DOWN VIEW MIRROR
STANDARD SIDE/REAR REFLECTORS
UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER
STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS
SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH
1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR
<b>Cab Interior</b>
X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE
QUARRY GRAY VINYL BASE LEVEL INTERIOR
CARBON WITH BASE BLACK ACCENT

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION
(1) DASH MOUNTED POWER OUTLET, LIGHTER AND ASH TRAY
FORWARD ROOF MOUNTED CONSOLE
LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS
(2) COAT HOOKS ON BACKWALL OF CAB
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT
STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY
RADIATOR MOUNTED AIR CONDITIONER CONDENSER
STANDARD INSULATION
STANDARD LED CAB LIGHTING
NO SECURITY DEVICE
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
KEY QUANTITY OF 2
LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION
BRIGHT DOOR HANDLES
TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB
BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT
BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT
DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS
BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO
BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO
3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN VISORS
<b>Instruments &amp; Controls</b>
EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON-ADJUSTABLE SUSPENDED PEDALS
ELECTRONIC ACCELERATOR CONTROL
BLACK GAUGE BEZELS
VOCATIONAL INSTRUMENT PANEL WITH CUSTOMER SPECIFIED CUSTOM SWITCH AND GAUGE LAYOUT
DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
97 DB BACKUP ALARM
ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY
DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH
2 INCH ELECTRIC FUEL GAUGE
FUEL FILTER RESTRICTION INDICATOR
ENGINE REMOTE INTERFACE NOT CONFIGURED
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
ENGINE OIL TEMPERATURE GAUGE
ELECTRIC ENGINE OIL PRESSURE GAUGE
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER
ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description
PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE
QUICKFIT PROGRAMMABLE INTERFACE MODULE
TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL
AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939
DASH MOUNTED RADIO
STANDARD SPEAKER SYSTEM
NO AM/FM RADIO ANTENNA
POWER AND GROUND WIRING PROVISION OVERHEAD
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD
HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
ELECTRONIC 2500 RPM TACHOMETER
DETROIT CONNECT PLATFORM HARDWARE
5 YEARS DETROIT CONNECT BASE PACKAGE (FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM
IGNITION SWITCH CONTROLLED ENGINE STOP
FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT
HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER
HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS IGNITION POWER
HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS IGNITION POWER
HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS IGNITION POWER
2 INCH TURBO AIR PRESSURE GAUGE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

Prepared for:  
Albany County Dpw  
449 New Salem Rd

Voorheesville, NY 12186  
Phone: 518-655-7906

Prepared by:  
TRACEY ROAD EQUIPMENT,  
INC.  
6803 MANLIUS CENTER ROAD  
EAST SYRACUSE, NY 13057  
Phone:

Description	
ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS	
TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR	
MANUAL TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT	
PROGRAMMABLE SWITCHES/INDICATORS LOCATED IN AUXILIARY PANEL	
QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS	
2 EXTRA PROGRAMMABLE SWITCHES/INDICATORS	
QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH CAP	
Design	
PAINT: ONE SOLID COLOR	
Color	
CAB COLOR A: L2832EY YELLOW ELITE EY	
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	
POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)	
POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)	
Certification / Compliance	
U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	
Secondary Factory Options	
CORPORATE PDI CENTER IN-SERVICE AND OPTION INSTALLATION/MODIFICATION	
Extended Warranty	
EW4: DD13 CARB22 VOC 7 YEARS/150,000 MILES/241,500 KM. EXTENDED ENGINE COVERAGE. FEX APPLIES	
Dealer Installed Options	
RH SPRING BUILD-UP	0 0
HEATED WIPER BLADES - CTS	0 0





Cives Corporation, dba  
 Viking Cives (USA)  
 14331 Mill Street  
 Harrisville, NY 13648  
 Phone: (315) 543-2321  
 Fax: (315) 543-2366  
 www.vikingcives.com

## QUOTATION

Quote ID: 219

Page 1 of 4

ONONDAGA 2018  
 Catalog

Customer: ALBANY COUNTY DPW

Contact:

Address: 449 NEW SALEM ROAD

VOORHEESVILLE, NY 12186

Phone: 518-765-2055

Fax:

Attn: SCOTT DUNCAN

Quote Number: 219

Quote Date: 4/27/2022

Quote valid until: 5/27/2022

For: TANDEM EQUIPMENT  
 FOR 6X4 CHASSIS

Terms: Net 30 days

Salesperson: DAVE MCBURNIE

FOB: Destination

QUANTITY	DESCRIPTION		
	HITCH FOR FACTORY MOUNTS - Hitches with mtg. bolts & nuts, pins (P10)		
1	S10500F - Custom Hitch Plow & Wing Mount-Power Tilt (incl. yoke)		
1	S10996 - Access Step		
1	S11010 - 4" x 10" DA Cylinder		
1	S12200 - Pump Bracket, w/ PTO		
1	S13010 - Push Center, 30-1/2"		
1	S75037 - Lift Group - Double Chain		
1	S15100F - Quick Disconnects for Lift Cylinder		
	HYDRAULICS		
1	S20100F - Permco P3000 Tandem Pump w/Chelsea PTO - cable shift (29 gpm)		
1	S22030F - 40 Gallon (RH) Cabinet Mount Reservoir (for H600 Series Rear Mast)		
1	SHS0001 - Hydraulic Oil Line Shut Off Viking Reservoir Tandem Pump		
1	S22117F - Low Oil Sensor (for cabinet tank)		
1	S22120 - Return Line Manifold		
1	S23140 - Five Spool Valve		
1	S24210F - Cab Control, Two Handle Floor Mount- air operated		
1	S24230F - Cab Control, Three Handle Pedestal Mount-air operated		
1	S24280F - Regulator/Oiler/Separator Kit for Units with Two Air Cab Controls		
1	S26430SF - Hose Kit - Full Mount with SS tubing pressure lines to front of truck		
	SANDER CONTROLS		
1	S20001F - Rexroth CS-530 Electronic Sander Controller - 1100561325		
1	S25015 - Controller Plumbed to Rear of Truck Cab, w/ Stainless Pressure Lines		
	FRONT MAST		
1	S30700F - FH33 Hydraulic Assembly w/mtg. brk't (3 x 33 cyl.)		
1	S33300F - Full Trip Hinge		
1	S34000F - Quick Disconnects for Front Wing Cylinder (1 per front mast)		
	REAR MAST		
1	S40516F - HC109650 (RH) Rear Mast Assembly (poly cyl. & valve box covers)		
1	S40320F - 5/8" wire rope cable (for use with Hydraulic (FH - FAH) Front Mast)		



Cives Corporation, dba  
 Viking Cives (USA)  
 14331 Mill Street  
 Harrisville, NY 13648  
 Phone: (315) 543-2321  
 Fax: (315) 543-2366  
 www.vikingcives.com

## QUOTATION

Quote ID: 219

Page 2 of 4

ONONDAGA 2018  
 Catalog

QUANTITY	DESCRIPTION		
	ONE WAY SNOWPLOW		
1	S50111 - 2654HSE9 Moldboard (RH)		
1	S50201 - Nose Piece Universal One Way RH		
1	S54170 - Carbide Blade w/ steel cover, 12" punch, 132" for Moldboard (one way)		
1	S50504 - Compression Spring One Way Pushframe, Compact (includes inner arm)		
1	S52410 - 30-1/2" pushlug swivel, new		
1	S50580 - 12" dia. Adj. Mushroom Shoes, cast (pair)		
1	S50610X - No Moldboard Shoe Required		
	HEAVY DUTY WING PLOW - includes one shoe, (no blades)		
1	S60016 - 1112WHD RH WING WELDMENT w/curved moldboard		
1	S54170 - Carbide Blade, 132" Length, 12" punch, with steel cover blade		
1	S61005 - HD Full Trip Arms (cushion spring lower)		
	ACCESSORIES		
1	S70010F - Plow Lights (std) (for use with one way plows)		
3	S89313F - LED or Std Worklight - (2) wing, (1) sander		
1	S70121F - LED Lights Stop/Tail/Turn - back of body (pair)		
1	S70386F - LED Back Up Lights - back of body (pair)		
1	S70388F - LED Strobe Amber Flashing Lights - back of body (pair)		
1	S70135X - Custom Closure Plate w/ 2" Receiver, 2-5/16" Combo Pintle w/ Mnt		
1	S70338F - Shovel Holder for Dump Body		
	VIKING PROLINE HW II COMBINATION BODY		
	Includes the following Standard Equipment:		
	Air Tailgate, Conveyor Return Poly Cover		
	3/16" Corten - Rust Resistant Alloy, 65,000 psi Tensile, 50,000 psi Yield Strength		
	1/4" Hardox Conveyor Floor Wear Plate		
	1/4" Corten Formed Longsills with Auto Tensioning System		
	Single Direction Main Conveyor with Planetary Drive (Front or Rear)		
	667X Conveyor Chain with Flights Every Other Link		
	Steel Conveyor Cover		
	Access Ladder and Zinc Primer		
	Auto Chain Tensioner		
1	ON10143X - Proline (HW-II) PL1415HW-II 14' Combination Body Includes: PL1415HW-II 14' Combination body w/ CS130 Hoist Front LH Discharge Cross Conveyor w/ 16" Poly Spinner S70822 - Spinner Chute Relocation Kit Galvanized Material Screens - 1415 Main Conveyor Chain Flites Every Link High Tensile Conveyor Cover ILO Std Coal Door in Tailgate (Front Spread Only) Poly return cover extension 1/2 Cabshield - Corten (24") Rear Spread Apron - Stainless S70510 - Dump Body Install Hardware Kit		



Cives Corporation, dba  
 Viking Cives (USA)  
 14331 Mill Street  
 Harrisville, NY 13648  
 Phone: (315) 543-2321  
 Fax: (315) 543-2366  
 www.vikingcives.com

## QUOTATION

Quote ID: 219

Page 3 of 4

ONONDAGA 2018  
 Catalog

QUANTITY	DESCRIPTION		
	11330004 - Poly Front Discharge Overflow Extension		
1	Pioneer EDD Series Tarping System - includes windscreen and HD mesh cover GS71280F - PIONEER EDD-1500DA - Electric Direct Drive Heavy Duty System - for 12' to 15' Proline Body		
1	GS71215 - Spring Loaded Tension Hoop (steel)		
1	GS71221 - Rectangular Deluxe Asphalt Tarp Upgrade		
	FACTORY INSTALL		
1	S79010F - Factory Install - Full Mount Plow System		
1	S79100F - Factory Install - Plow Lights		
1	S79110F - Factory Install - Wing Lights		
1	S79115F - Factory Install - Sander Light		
1	S79150F - Factory Install - Dump Valve Section		
1	S79180F - Factory Install - Electric Spreader control (plumbed to rear of cab)		
1	S79210F - Factory Install - Dump Body - Combination Style (front discharge)		
1	S79310F - Factory Install - Tarp System, electric		
This Equipment Requires 126-130" CT and Min 60"AF		Quote Total:	\$152,063.00
Furnish Tailplates with Hitch		Discount:	(\$45,618.90)
Customer Requests wing arm bumper on rear slide		Total Cost For Equipment:	\$106,444.10
Install cross conveyor spill shield per Customer			
Sander Control mounted per Customer		Charges	230
Custom SS Rear Apron by VCU			
(2) Gate spreader chain anchors on rear of body		Total Due	\$106,674.10
*VCU – Order Body with: Rear post light holes in raised position, Ladder mounted left front, Inside steps, Short fender mod, No tarp holes in fenders, Vertical rear posts, Extended screens for vertical posts, Outboard gate chains			

Delivery to Truck  
 Dealer

The following options may be added:

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT

Customer must fill out the information below before the order can be processed...

Accepted by:	
Date:	
P.O. number:	

The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the Home Office of the Seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on costs and conditions existing on date of quotation and are subject to change by the Seller before final acceptance.

# DAIMLER TRUCK

## North America

April 19, 2022

**To: All Freightliner & Western Star Dealers (US/CAN)**

**Subject: CY22/MY23 Pricing Surcharge Update – Freightliner & Western Star**

Dear Dealer Partners,

As discussed with you yesterday, the continued challenging global and domestic economic conditions have made it necessary for Daimler Truck North America (DTNA) to implement an additional pricing surcharge on all MY23 Freightliner & Western Star trucks (details below). Increases are in addition to the \$2,900 - \$4,500 Total MY23 Surcharge announced in December 2021 for CY22/MY23 units.

This new surcharge will be applied on CY22 units with a schedule build date starting May 30<sup>th</sup>, 2022. Units with a schedule build date on or before May 29<sup>th</sup>, 2022 are price protected and will not be impacted by the newly updated surcharge.

DTNA is committed to release MY24 Pricing in Q3/2022.

**Below are the updated Model Year 2023 Pricing Surcharge Details:**

*Values in USD*

Models	Total MY23 Surcharge (as of January 1 <sup>st</sup> , 2022)	Additional Surcharge	Total MY23 Surcharge As of May 30 <sup>th</sup> , 2022
Cascadia*/5700	\$4,200	\$5,700	\$9,900
4700/47X/4900/49X/122SD/6900	\$4,500	\$5,800	\$10,300
M2106/112 & 108/114SD	\$2,900	\$3,800	\$6,700

*\*Includes eCascadia*

*\*\* Indicates schedule build date*

- The Total MY23 Surcharge fee applies to all units included in your CY22 Dealer Reservation System plan, including both Program and Concession reservations with a schedule build date of May 30<sup>th</sup>, 2022 or after.
- The total non-discountable surcharge will be presented as a single line item on the truck invoice.
- Dealers are responsible to update and include Total MY23 Surcharge on all current and future quotes for CY22/MY23.
- Total MY23 Surcharge is in addition to all previous CY22 Surcharges announced by DTNA including FCCC for the Tire Surcharge, DD13 Gen 5, CARB22, Standard Destination & Freight, etc.

### Order Cancellation Guidelines:

- Entire backlog beginning 05/30 is cancellable until April 29<sup>th</sup>, 2022 (program and concession). This includes units inside the standard 90 day window from schedule build date.
- After April 29<sup>th</sup>, 2022 standard cancellation policies apply:
  - Program trucks are non-cancellable.
  - Cancellations will only be accepted outside of 90 days from schedule build date.
  - Q3 cancellations required by 5/31, Q4 cancellations required by 7/1.
  - All reorders required by 7/1 (CY22 closeout date).
  - Plans must be modified to reflect all cancellations and reorders.