

## **QUOTATION**

6803 Manlius Center Road, East Syracuse, NY 13057 phone (315) 437-1471 fax (315) 437-4041

ALBANY COLINTY	' DPW	
VOORHEESVILLE	, NY 12186	
518-765-2055	Fax Number	
6/14/2021	Quotation Price Good Through	7/14/2021
	/DEP	
	449 NEW SALEM VOORHEESVILLE 518-765-2055	6/14/2021 Quotation Price Good Through

Stock #	New or Used	Description	List Price
XF-70 <b>-</b> 2		NEW 2022 FELLING XF-70-2 HDG TRAILER	
		70,000 LBS IN 16'	
		11' HYD DETACHABLE GOOSENECK 84" SWING CLEARANCE	
		LOCKABLE CHAIN BOX IN NECK TOWER	
		26" FRONT FOLD OVER RAMPS	
		22' MAIN DECK LENGTH / REMOVABLE SWING OUT OUTRIGGERS	
		4' 20 DEG APPX, 4' TRUNNION APPROACH, BOLT ON	
		WHEEL COVERS, FULL LENGTH FLAT TOP MODULAR	
		CENTER OF REAR TRUNNION, WOOD FILLED W/WOOD APPROACH	
		5' WHITE OAK INLAID BEAVERTAIL	
		49" AXLE SPREAD, 7.5FT TRUNNION LENGTH	
		FULL 2" WHITE OAK TO FILL CENTER OF DECK	
		GOOSENECK FENDERS, STEEL FLOOR PLATE W/ REAR MUD FLAPS	
		24" X 72" STAND UP, WOOD INLAID, SPRING ASSIST RAMPS	
		24" LOADED, 8" GROUND CLEARANCE, 102" OD WIDTH	
		(12) 1" D-RING TIE DOWNS	
		AIR, ABS 4S/2M, MERITOR WABCO BRAKES	
		25K OIL BATH AXLES	
		(8) 255/70R22:5H, 10 BOLT HUB PILOT TIRES	4/44/4/4/4/4/4
		ALUMINUM 8.25"X22.5" HUB PILOTED WHEELS, TASKMASTER POLIS	
		MANUAL ADJ RIDE HEIGHT CONTROL SUSPENSION	
		SEMI KING PIN HITCH W/16" SETBACK, 50" HEIGHT	
		7 POLE SEMI SOCKET PLUG	
		PETERSON LED LIGHTS, SEALCO SEALED WIRING HARNESS	
		AMBER LED STROBE LIGHTS, SWITCHED & MOUNTED	
		FLASHER KIT W/BATTERY FOR MARKER, TAIL LIGHTS	
		SPARE TIRE 255/70R22.5H, 10 BOLT HUB PILOT	
		SPARE TIRE MOUNT - MTD TOP OF GOOSENECK	
		FELLING BLACK COLOR (WHITE FELLING DECAL/STRIPE)	
		DROP IN STORAGE TRAY IN MAIN DECK	
		PLUMBED FOR WET KIT W/ HYD COUPLERS	
		GVWR: 84,500 LBS	
		List Price \$78,240.50 Less 12%=\$68,851.64	
		Freight In: \$3,648	
		PDI & Dealer Prep:1400.00	
		Total NYS Contract PC69232 price: \$73,899.64	

Description of Trade-In (Year, Make, Lienholder, Amount owed on unit, Gross Trade-in allowance)

0 0 0 \$0 \$0

DETAILS OF PROPOSED TRANSACT	TION:	TERMS AVAILAE	BLE:
CASH PRICE	\$0	12mos @	=
-TRADE-IN (see above)	\$0	24mos @	=
NET PRICE	\$0	36mos @	=
SALES TAX (If applicable)	\$0	48mos @	=
FET ON NET (if applic.)		60mos @	=
TOTAL PRICE	\$0		

WE APPRECIATE THIS OPPORTUNITY TO QUOTE YOU. I ASSURE YOU THAT YOUR ORDER WILL BE MOST APPRECIATED AND HANDLED IN A PROMPT AND CAREFUL MANNER. PLEASE FEEL FREE TO CALL ME WHEN I CAN BE OF SERVICE...

Sales Representativ
---------------------

## **SALES ORDER**



ACCEPTED BY SALES MANAGER ...

V			EST.1976)	A Same and a second	
Date 6/14/21					
Purchaser All	bany Co.		6803 Manlius Center Rd., East	Syracuse NY 1305°	7
Address 4491	New Salem Rd.	•	Tracey Road Equipment F	acility Numbers:	
City Voorheesv	rille State NY	Zip Code <u>12186</u>		2 (607) 775-5010	
County Albany	<sup>7</sup> Co. Phone 518-	655-7906		5 (315) 788-0200 2 (518) 438-1100 7 (585) 334-5120	
Contact Nam	e Scott Duncan Cust N	10	☐ Batavia: 7122000 ☐ Queensbury: 7122340	(585) 343-2860	
THE PURCHASE	ER OFFERS TO PURCHASE FROM THE DEALER	SELLER FOR THE STATED	PRICE THE VEHICLE AND/OR EQUIPMENT AS DESCR		***************************************
PO#	TERMS OF SALE: FOB Net 30 Albany	STANDA	RD WARRANTY:	SALESMAN 1875	N#
INVENTORY#	DESCRIPTION			PRICE	
	(1) Felling XF-7	0-2 HDG Low Boy Trai	ler @ 73,899.64 EA.	73,899	64
	11' Hyd. Detachable Goosenec	k 84" Swing Clearance	, Lockable Chain Box in Neck Tower		
	22' Main Deck Length/ Rem	ovable swing Out Outri	ggers, 26" Front Fold Over ramps		
	5' White Oak Inlaid Beavertail, F	ull 2" White Oak To Fill	Center Of Deck, Gooseneck Fenders		
		tract PC69232 Pricing:			
	List Price	e: \$78,240.50 Less 12%			<del>  </del>
,	D.F.	Freight In: \$3,648.0			$\vdash \vdash \vdash$
a construir de l'actività d		O.I. and Dealer Prep: \$	\$73;899:64		منينين
	) I otal	Oddomen Talce Lach.		- Shake See a	
		ND / IS NOT ACCURATE, F	REFER TO THE FEDERAL MILEAGE		
IF THIS MOTOR	OR DISCLOSURE VEHICLE IS CLASSIFIED AS A USED MOTO CONDITION AND REPAIR TO RENDER, UNDE	R VEHICLE, THE DEALER ER NORMAL USE, SATISF.	NAMED ABOVE CERTIFIES THAT THE ENTIRE ACTORY AND ADEQUATE SERVICE UPON THE		
PUBLIC HIGHW	AY AT TIME OF DELIVERY.  Its Optional EQUIPMENT SERVICE CONTRACT	T			
PowerTrain PowerTrain Plus	\$ <sup>™</sup> A Hydraulics \$ <sup>™</sup> A		otional EQUIPMENT SERVICE CONTRACT		
Full Machine Terms and Condi	\$tions per the attached contract.	PURCHASER'S INITIA			
PURCHASER'S IN TRADE-IN ALLOW			SUBTOTAL	72 800 64	
BALANCE OWED			NET TRADE-IN ALLOWANCE	N/A	
NET TRADE ALLO	OWANCE (EQUITY)		(EXEMPT) SALES TAX	Exempt	
TRADE:	TRADE IN	V. #	FEDERAL EXCISE TAX	Exempt	
YEAR M	MAKEMODEL		WASTE MANAGEMENT TIRE TAX	Exempt	
ENG.	SERIAL#		TOTAL PRICE	73,899.64	
1	READING (if applicable)	l l	RECEIPT NO. DEPOSIT	N/A	
ACCURATE, REF	FER TO THE FEDERAL MILEAGE STATEMENT FO	OR FULL DISCLOSURE.			
Į.	RADE		BALANCE DUE	73,899.64	
PURCHASER'S SIGNATURE					
MADE BY SUCH MA A SERVICE CONT	NUFACTURER OR SUPPLIER. UNLESS DEALER/S BACT WITH PURCHASER DEALER/SELLER H	ELLER, ON ITS OWN BEHALI EREBY DISCLAIMS ALL WA FON ALL GOODS AND SER	VSELLER) SHALL BE LIABLE FOR PERFORMANCE UND F, FURNISHES PURCHASER WITH A SEPARATE WRITTE! ARRANTIES, EXPRESS OR IMPLIED, INCLUDING AR RVICES, AND ALL USED CONSTRUCTION EQUIPME DT EXPRESSLY WARRANTED OR GUARANTEED".	N WARRANTY, OR ENTER NY IMPLIED WARRANT	RS INTO
IF THIS ORDER IS F	FOR A USED VEHICLE THAT BY LAW REQUIRES A RMATION ON THE WINDOW FORM OVERRIDES A	FEDERAL TRADE COMMISSI NY CONTRARY PROVISION I	ON WINDOW FORM, THE INFORMATION YOU SEE ON T N THE CONTRACT OF SALE,	HE WINDOW FORM IS P	'ART OF
agreement (a "Finan nature concerning Fit for the purchase of Conditions that are p Purchaser or, if purc documents referred to	cing Agreement') entered Into by Purchaser in conne nancing Agreement and any other agreement specifier the motor vehicle(s) or construction equipment desc rinted on the back of this Order and agrees that said shaser is not an Individual, Purchaser's representativ o in this Order.	ction with this Order comprise I in this Order shall be referred ribed in this Order except as i Terms and Conditions are part	owledgement"), if signed by Purchaser and Dealer or Seller, the entire agreement affecting this purchase and no other at to herein as the "Order". Purchaser hereby certifies that no cs stated in this Order. Purchaser hereby acknowledge the of this Order the same as if they were printed on the front his of legal age and acknowledges that he/she has received.	igreement or understandin iredit has been extended to at he/she has read the Te ereof above Purchaser's s	ng or any o him/her erms and signature.
PURCHASER Albany	/ Co.		SALESMAN 1875		



## **Product Sheet**

Felling Trailers, Inc. 2021 www.felling.com • 1-800-245-2809 Sauk Centre, MN 56378

1525 Main Street South

	Standard			
Standard Features	Qty	Unit P	'rice	UOM
FT-70-2 HDG	1	\$ 5	4,608.00	V
70,000 lbs in 16 ft	1	\$	-	Std
11' Hydraulic Detachable Gooseneck 84" Swing Clearance	11	\$	-	Feet
5 Position Ride Height Cam Blocks	1	\$	-	Std
Hydraulically Operated Center Neck Support Arm	1	\$	_	Std
Hydraulic Pressure Gauge, Liquid Filled, for supply line pressure	1	\$		Opt
26" Front Fold Over Ramps	1	\$	-	Pair
Add Deck Length	22	\$	1,150.00	Feet
Removable Swing Out Outriggers, 5,000 lb rating	1	\$		Std
	1	\$	-	Feet
	7.5	\$	**	Feet
	1	\$	-	Std
	1	\$		Inches
	30.5	\$	_	Feet
	12	<del>                                     </del>	42.00	Each
	1			Std
	2	+		Std
	1			Std
	8		-	Std
	1		-	Std
	1			Std
	* * Independent Supposement of Control			
	1	Ś	-	Std
	1		-	Std
	1			Std
	1		-	Std
	1		276.00	Std
	<del>-</del>	+	270,00	
			•	1
	1	Ś	_	Std
	1	<del></del>		Std
(07,500 lb3		l Y		
				,
FT-70-2 HDG Options	Qtv	Price		NOU
· · · · · · · · · · · · · · · · · · ·		+		
		1		
	i .	Ś	1.635.00	Feet
				<del></del>
		+ : -		
Apitong Inlaid 5 X 1,078 = \$ 5390	<del>                                      </del>	\$ \$	1,206.00	
1 MATERIAL TO A STATE AND A ST			1.200.00	11000
Air, ABS 4S/2M, Meritor WABCO (Parking brakes on all axles)	1	<del>-   -   -   -   -   -   -   -   -   -  </del>	627.00	
	FT-70-2 HDG  70,000 lbs in 16 ft  11' Hydraulic Detachable Gooseneck 84" Swing Clearance 5 Position Ride Height Cam Blocks Hydraulically Operated Center Neck Support Arm Hydraulic Pressure Gauge, Liquid Filled, for supply line pressure 26" Front Fold Over Ramps Add Deck Length Removable Swing Out Outriggers, 5,000 lb rating 45° Appx, 10" Half Bolster Trunnion Approach 49" Axle Spread, Trunnion Length in Feet White Oak Full 2" (Outer Bays Only) 24" Loadéd, 8" Ground Clearance 102" OD D-Rings, 1" Air, ABS 2S/1M, Meritor WABCO (Parking brakes on all axles) 25K Oil Bath Ridewell 240 with Dump Valve & Pressure Gauge 255/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot Semi King Pin [S] with 16" Setback, 50" Height +/- 7 Pole Semi Socket LED Lights (Peterson), (1) per side Gooseneck, (3) lights per side Deck & Trunnion, (3) per side Tailboard, Sealed Wiring Harness (Sealco) Felling Black # CCA945378 (White Felling Decal) White Document Holder Drop In Storage Tray in Main Deck (1 Standard) Plumbed for Wet Kit with Hyd Couplers, Pressure-3/4" Pioneer, Male 6602-12-12, Return-3/4" Pioneer Female 6601-12-12 ** 3,000 PSI Required ** 84,500 lbs  FT-70-2 HDG Options 22" Loaded, 6" Ground Clearance 25K, Heavy Wall Dexter Oil Bath (D-rated in 9' & 10' wide application) Oil Field Style Beavertail, 4 ft long slope (adds 3 ft to trailer length) Appx 23°, Steel covered with grouser bars, open center with Pipe Tail Board Self Cleaning Angle Iron Steel Floor Plate with Traction Bars White Oak Inlaid	Standard Features  FT-70-2 HDG  70,000 lbs in 16 ft  11' Hydraulic Detachable Gooseneck 84" Swing Clearance  11  5 Position Ride Height Cam Blocks  Hydraulically Operated Center Neck Support Arm  1 Hydraulic Pressure Gauge, Liquid Filled, for supply line pressure  26" Front Fold Over Ramps  Add Deck Length  Removable Swing Out Outriggers, 5,000 lb rating  45" Appx, 10" Half Bolster Trunnion Approach  49" Axle Spread, Trunnion Length in Feet  White Oak Full 2" (Outer Bays Only)  24" Loaded, 8" Ground Clearance  102" OD  DeRings, 1"  12Air, ABS 25/1M, Meritor WABCO (Parking brakes on all axles)  25K Oil Bath  Ridewell 240 with Dump Valve & Pressure Gauge  1255/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot  Semi King Pin [S] with 16" Setback, 50" Height +/-  7 Pole Semi Socket  LED Lights (Peterson), (1) per side Gooseneck, (3) lights per side Deck & Trunnion, (3) per side Tailboard, Sealed Wiring Harness (Sealco)  1 Felling Black # CCA945378 (White Felling Decal)  White  Document Holder  Drop In Storage Tray in Main Deck (1 Standard)  Plumbed for Wet Kit with Hyd Couplers, Pressure-3/4" Pioneer, Male 6602-12-12, Return-3/4" Pioneer Female 6601-12-12 ** 3,000 PSI Required **  84,500 lbs  1 FT-70-2 HDG Options  22" Loaded, 6" Ground Clearance  25K, Heavy Wall Dexter Oil Bath (D-rated in 9' & 10' wide application)  Oil Field Style Beavertail, 4 ft long slope (adds 3 ft to trailler length) Appx 23°, Steel covered with grouser bars, open center with Pipe Tail Board  Self Cleaning Angle Iron  Steel Floor Plate with Traction Bars  White Oak Inlaid	Standard Features	Standard Features

Brakes, Acc	S-Cam Shaft Enclosures, Big Brake	2	\$	367.00	Axle
Brakes, Acc	Steel Brake Dust Shields - 22,5"		\$	133.00	Axle
Chg Order	Non-line Item Change Order; What: Date: Who:	1			Opt
Deck Length	Deduct Deck Length	22	<del>l                                     </del>	_	Feet
	Full 2" White Oak to fill Center of Deck - (4) Outrigger Boards in the				
Deck Type	center not fastened down	1	\$	29.00	Feet
Deck Type	1/4" Floor Plate (outer bays only)	1	<del> </del>	91.00	Each
Deck Type	Expanded Metal To Fill Center of Deck, No ?	1	\$	40.00	Feet
Deck Type	Full 2" Apitong (Outer Bays Only)	1	\$	44.00	Feet
Deck Type	Full 2" Apitong to fill Center of Deck	1 2	\$	84.00	Feet
Deck Type	Full 2" White Oak to fill Center of Deck 22 x 2900 =	638,001	\$	29.00	Feet 1
	Full 2" Apitong to fill Center of Deck - (4) Outrigger Boards in the center				
Deck Type	with hold downs	1	\$	84.00	Feet
Deck Type	1/4" Floor Plate to fill center of deck	1	\$	91.00	Feet
Deck Type	3/16" Floor Plate (Outer Bays Only)	1	\$	67.00	Each
Deck Type	Outrigger Boards Hold Down Kit	1	\$	334.00	Pair
Deck Type	Outrigger Boards Apitong (Full 2" x 12" x 1/2 deck length)	4	\$	255.00	Opt
Deck Type	Outrigger Boards, Full 2" Oak (Full 2" x 12" x 1/2 deck length)	4	\$	67.00	Opt
	Full 2" Apitong to fill Center of Deck - (4) Outrigger Boards in the center				
Deck Type	not fastened down	1	\$	84.00	Feet
Deck Type	3/16" Floor Plate to fill center of deck	1	\$	67.00	Feet
······································	Full 2" White Oak to fill Center of Deck - (4) Outrigger Boards in the			i mangripi i	
Deck Type	center with hold downs	1	\$	29.00	Feet
DOTInsp	DOT Vehicle Inspection Fee		\$	171.00-	Opt
Gooseneck	12' Hydraulic Detachable Gooseneck 96" Swing Clearance	12	_\$	816.00	Feet
Gooseneck	13'6" Hydraulic Detachable Gooseneck 114" Swing Clearance	13.5	\$	2,025.00	Feet
Gooseneck	13' Hydraulic Detachable Gooseneck 108" Swing Clearance	13	\$	1,625.00	Feet
Gooseneck, Acc	Bar to Hang Chains in Neck Tower, no cover	1	\$	118.00	Each '
	Gooseneck Fenders, Stainless Steel with Rear Mud Flaps & Remote Hyd				
Gooseneck, Acc	Levers	1	\$	2,174.00	Pair
	Gooseneck Fenders, Aluminum Diamond Plate with Rear Mud Flaps &				
Gooseneck, Acc	Remote Hyd Levers	1	.\$	2,174.00-	Pair/
Gooseneck, Acc	Lockable Chain Box in Neck Tower (includes bar to hang chains)	1	\$	627.00	Opt 🗸
	Gooseneck Fenders, Steel Floor Plate with Rear Mud Flaps & Remote				
Gooseneck, Acc	Hyd Levers	1		1,716.00	Opt V
Gooseneck, Acc	Gooseneck Cover, Aluminum Diamond Plate		\$	438.00	Opt
Gooseneck, Acc	Two Position King Pin (Drop In)	1	\$	1,379.00	Opt
Gooseneck, Acc	Hydraulic Levers Remoted to Outside of Fenders	1	\$	168.00	Opt
	Upper Deck, 102" Wide with White Oak Inlay with Rub Rail & Stake				
Gooseneck, Acc	Pockets and Rear Mud Flaps and Remote Hyd Levers	1	\$	565.00	Feet
	30" Flip Over Neck Extension, Drop in King Pin (84"/108"/114" SC),				
Gooseneck, Acc	114" SC Max	1	\$	821.00	Feet
	24" Flip Over Neck Extension, Drop in King Pin (84"/108" SC), 108" SC				
Gooseneck, Acc	Max	1		821.00	
Gooseneck, Acc	Mud Flap Brackets, one additional per side (total of 2 per side)	1		185.00	Pair
Gooseneck, Acc	Gooseneck Rear Mud Flaps	1	\$	397.00	Pair
}	Gooseneck Brackets for a Single Axle Flip Neck Extension, (24" or 30",				
Gooseneck, Acc	114" Max SC)	1	\$	452.00	Opt
	Upper Deck, 102" Wide with Apitong Inlay with Rub Rail & Stake				
Gooseneck, Acc	Pockets and Rear Mud Flaps and Remote Hyd Levers	1	<del></del>	609.00	
GVWR	Requested Rating -	1	\$	-	Opt

					······
Hitch Type	Semi King Pin with 18" Setback, Custom ??" Height	1	\$	1,132.00	Opt
	Swing Out/Pull Out Wide Load Lights, 4" Amber forward, Red rearward		ĺ		·
Lights	(all four corners)	1	\$	1,358.00	Opt
	Magnetic 4" Amber Strobe Light powered from Trailer Lights, w/On/Off			•	
Lights	Switch	1	\$	376.00	Opt
	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces				/
Lights	2 center tail lights	1	\$	501.00	Opto
Lights	Truclklite Lights	1	\$	329.00	Opt
Lights	Work Station Light (Illuminates Controls)	1	\$	112.00	Opt
Lights	All wiring connections to be soldered and heat shrunk	1	\$	118.00	Opt
Lights	Tail, Turn, Brake Light kit for Rear of Gooseneck, 4 light system	1	\$	417.00	Opt
	Amber LED Strobe Lights, Switched and Mounted in Tailboard, replaces				
Lights	2 center tail lights (Battery Powered)	1	\$	613.00	Opt
4.61.63	Pull Out Wide Load Lights, extends 18" with 2.5" Amber forward, Red		<u> </u>		,
Lights	rearward lights (all four corners)	1	\$	792.00	Opt
Lights	Junction Box w/breakers	1		230.00	Opt
LIBITES	Flasher Kit w/Battery for Marker, Tail Lights (includes Strobe Lights		<u> </u>		, CP 4
Lights	when optioned)	1	\$	604.00	Ont w
Ligits			<del>,</del>		SPC 1
liehte.	Additional Clearance Lights Spaced Evenly On Side Of Trailer - LED (Per Pair)	1	\$	171.00	Dair
Lights		1	\$		Opt
Lights	Accessory Female Socket, 4 pole, round body style, with male plug	1	3	101.00	<del></del>
	Swing Out/Pull Out Wide Load Lights, 2 1/2" Amber forward, Red		۱,		
Lights	rearward (all four corners)	1	\$	1,132.00	Opt
	Work Lights on rear of Gooseneck, switched, Wired to Marker Light				
Lights	Circuit	2	\$_	536.00	Each
	Severe Condition Wiring Package - Closed Back Grommets, Metal				<b>.</b> .
Lights	Conduit to Side & Rear Lights and Enclosed Tail-lights & Tri-Lights	1	\$	849.00	
Load Capacity	Full Load Concentrated in 10'	22	\$	89.00	Feet
Main Deck	Knuckle Trough in Rear of Main Deck (Appx 6 ft / 3 Cross Members)	1		271.00	Opt
Main Deck	Knuckle Trough Tray in Main Deck, 7 Ga	1	\$	101.00	Opt
	Outriggers, Swing Out, Removable, 5,000 lb rating, for dual outriggers	<u> </u>			
Main Deck	in center of deck	1	\$	216.00	Pair
	Outriggers, Deduct for No Outriggers (Outrigger Brackets Only Installed				
Main Deck	On Trailer)	1	\$	(978.00)	Opt
	4" Stub Cross Members in Outer Bays, (12" on centers with standard		Г		
Main Deck	cross members)	.1	\$	30.00	Feet
Main Deck	Side Rail Top Flange Reinforcement(Straight D-Rings ILO Bent)	1	\$	26.00	Feet
	Outriggers, Double Swing Out HD Fabricated, at Center of Deck (One				
Main Deck	extra Pair)	1	\$	216.00	Opt
Main Deck	Knuckle Trough Plate, 3/4" x Approx 14" Wide (3 Cross Members)	1		152.00	
Wall Beek	Outriggers, 12" Heavy Duty Fabricated Swing Out, Removable (Includes		<u> </u>		† <u>`</u>
Main Deck	Double Wide Front Outrigger)	22	\$	67.00	Feet
<u></u>	Additional Swing Out Removable Outriggers (Sold as Pairs)	1	-	205.00	Pair
Main Deck	Additional Swing Our VelloAanie Outriggely (2010 92 kglis)		+	203.00	"
Main Deels	Outsigner Front 12    Devision 12   E 000    material Fixed Devision	1	ے	301.00	Pair
Main Deck	Outrigger, Front 12" Double Wide, (2) 5,000 lb rated, Fixed, Removable		+	501.00	
Main Deck	Bucket Plate on Rear of Main Deck (Approx 36" W x 48" L)	1	13	201.00	Opt
	12 volt, 4 gauge aux wiring to truck, includes female and male			202.22	0
Option	connectors	1		209.00	<del></del>
Option	2nd 12 volt, group 31 battery for electric/hydraulic power system	1	\$	209.00	
Option	Chain Tray Lockable Lid, Bolt On	1	\$	209.00	Each Opt

Option	Additional Drop in Chain Tray (between Main Deck cross members)	1	_		Opt
Option	Flow Control Valve (use with systems of 25 GPM or greater)	1	\$		Opt
Option	Hub Odometer	1	\$	162.00	Opt
	Oversize Load Sign, Folding Aluminum with Adjustable Pipe Brackets	_			<b>.</b> .
Option	Mounted Above the Tail Board	1	\$	593.00	Opt
	Oversize Load Sign, Non-Folding Aluminum with Pipe Brackets Mounted		_ ا	E 40.00	
Option	Above the Tail Board	1	\$	549.00	Opt
Ontina	Oversize Load Sign, Non-Folding Aluminum with U-Shaped Brackets	1	_ ا	437.00	Opt
Option	Bolted On Below the Tailboard	$\frac{1}{1}$	\$ \$		Pair
Option	Pipe Brackets for Over Size Load Sign on Tail Board		Ş	123.00	ran
Option	Plumbed for Wet Kit with Hyd Couplers, Pressure-1" Wing Type Male, Return-1" Wing Type Female ** 3,000 PSI Required **	1	\$	171.00	Opt
Option	Rear Rubber Dock Bumpers	2	\$	264.00	Opt
Option	Remote Exhaust for (11-13HP Engine)	1	\$	201.00	Opt
Option	Self Contained 11-13 HP Hydraulic System W/Electric Start	<u>+</u> 1	\$		Opt
Орион	Self Contained 20-24 HP Hydraulic System W/Electric Start, Mounted		7	3,377.00	Орг
Option	on top of Gooseneck, removable	1	\$	7,885.00	Opt
Орстоп	on top of dooseneek, removable		<del>  ~</del>	7,003.00	Орс
Option	Self Contained Hydraulic Power, Hose Kit to Headboard (PTO) Couplers	1	\$	289.00	Opt
Operon	Self Contained Hydraulic System, 12 Volt Electric/Hydraulic Pump,	<del></del>	Ť		
Option	includes; group 31 battery, trickle charger	1	\$	2,263.00	Opt
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<u> </u>		
·	Self Contained Hydraulic System, 12 Volt power cables from headboard				
Option	to elec/hyd unit, includes male plug, replaces trickle charger	1	\$	226.00	Opt .
	Self Contained / Wet Line, Dual Hydraulic System Selector Valve with		Ė	***	
Option	Pressure Relief	1	\$	889.00	Opt
Option	X-Force Acc (Flip Axle, Stinger, etc) Ref #'s: -	1			Std
Option	Wireless Remote-Single Hydraulic Function(2 button remote)	1	\$	1,450.00	Each
		***************************************			
Option	Wireless Remote-Multi Hydraulic Function(Up to 4 functions)(8 button)	1	\$	2,900.00	Each
Option	Drawing Approval Required	1	\$	-	Opt
Option	Plain Black Mudflaps (No Logo) ILO Standard	1	\$		Opt
Option	Reflective Tape w/o Logo ILO Standard	1	\$	_	Opt
Option	Printed Owner's Manual	1	\$	-	Opt
Plug	12 Pin Nato Plug	1	\$	318.00	Opt
Ramps, Acc	Center Pin on Ramp, Aluminum	1	\$	1,176.00	Opt
Ramps, Front	48" White Oak Spring assisted stand up ramp. w/tapered approach.	1	\$	1,116.00	Pair
Ramps, Front	72" White Oak Spring assisted stand up ramp. w/tapered approach.	1	\$	1,334.00	Pair
Ramps, Front	60" White Oak Spring assisted stand up ramp. w/tapered approach.	1	\$	1,225.00	Pair
	60" Spring Assisted stand up w/ aluminum fold out extension (appx 7°				
Ramps, Front	Incline)	1	\$	2,257.00	Pair
Ramps, Front	11" Blunt Front Approach (No Ramps)	1	\$	(600.00)	Pair
Ramps, Front	Fixed Approach in lieu of 26" Front Fold Over Ramps	1	\$	_	Pair
Ramps, Front	60" Apitong Spring assisted stand up ramp. w/tapered approach.	1	\$	1,445.00	Pair
Ramps, Front	48" Apitong Spring assisted stand up ramp. w/tapered approach.	1	\$	1,292.00	Pair
Ramps, Front	72" Apitong Spring assisted stand up ramp. w/tapered approach.	1	\$	1,598.00	Pair /
Ramps; Rear	24" x 72" Stand Up Self Cleaning with Spring Assist	1	4	1,792.00	Pair
Ramps; Rear	24" x 72" Stand Up, Elec/Hyd	1	+	4,150.00	Pair
	24" x 72" Stand Up, Self Cleaning Angle Iron, Hydraulic Ramps Powered		Ė		
Ramps; Rear	Off Wet Kit	1	\$	4,150.00	Pair
Ramps; Rear	5'x 24" Self Cleaning Angle Iron, Spring Assisted, Stand Up	1	1	1,378.00	Pair

					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ramps; Rear	6' X 38", 5" X 3" Angle Iron, Air Operated	1	\$	3,232.00	<u>Pair</u>
	6' X 45" Plus Tapered Approach (81" OAL) White Oak Inlaid, Air Operated			2 24 2 22	<b>5</b> 1.
Ramps; Rear	w/Bolt on Legs	1	\$	3,814.00	Pair _
Dames Cons	38" x 72" Stand Up, Self Cleaning Angle Iron, Hydraulic Ramps Powered	4	_ ا	4.464.00	Dair
Ramps; Rear	Off Wet Kit	<u>1</u>	\$	4,464.00 1,580.00	Pair
Ramps; Rear	5' White Oak Inlaid, Spring Assisted	F	13	1,380.00	raii
Ramps; Rear	6' X 38" Plus Tapered Approach (81" OAL) White Oak Inlaid, Air Operated	1	\$	3,590.00	Pair
Ramps; Rear	6'X 45" 5" X 3" Angle Iron, Air Operated	1	\$		Pair
Ramps; Rear	5'Apitong Inlaid, Spring Assisted	1	\$		Pair
Ramps; Rear	6'x 38" Plus Tapered Approach (81" OAL) Apitong Inlaid, Air Operated	1	\$		Pair
Ramps; Rear	6'x 45" Plus Tapered Approach (81" OAL) Apitong Inlaid, Air Operated	1	\$		Pair
Rear Deck & Trunnion	6" Scraper Chock Blocks on top of Tailboard (bolt on)	1	\$		Pair
Rear Deck & Trunnion	Boom Well Tray in Rear Trunnion, 7 Ga	1	\$		Axle
Real Deck & Hullillon	Bolsters w/ Grouser Bars, Level with top of main frame beams, Tires level	<u>T</u>	7	388.00	AAIC
Rear Deck & Trunnion	with top when suspension dumped	2	\$	1,232.00	Axle
Rear Deck & Trunnion	Full Width Rear Deck - Steel Tread Plate	2	\$		Axle
Rear Deck & Trunnion	Wheel Covers, Full Length One Piece (Bolt On), 20K Load Bearing	2	\$		Axle V
Real Deek & Franklion	Wheel Covers, Over Wheels with Open Bolsters, (Not Flat, Bolt on), 20K	<b>_</b>	Ť	1,000.00	70.00
Rear Deck & Trunnion	Load Bearing	2	\$	821.00	Axle
Rear Deck & Trunnion	Wheel Covers, Full Length (Bolt on), 20K Load Bearing (10' 1" Spread)	<u>-</u>	\$		Axle
Rear Deck & Trunnion	Wheel Covers, Poly, Flexible, Non-Load Bearing	2	\$		Axle
Tool Deck of It will to I	Center of Rear Trunnion, White Oak Filled with Steel Approach, Juse		<u> </u>		
Rear Deck & Trunnion	with Wheel Covers), Removable, 20K Load Bearing	. 2	\$	652.00	Axle
Rear Deck & Trunnion	Drawbar Cutout in Trunnion Approach	1	_		Opt
Rear Deck & Trunnion	Through Boom Well Tail Board	1		689.00	Opt
	Wheel Covers, Full Length Flat Top Modular (Bolt On, 2 piece), 20K Load		Ė		<u> </u>
Rear Deck & Trunnion	Bearing	2	\$	1,880.00	Axle
	Wheel Covers, Full Length Modular (Bolt On), 20K Load Bearing, with				
Rear Deck & Trunnion	Removable Blanks over Bolsters	2	\$	1,880.00	Axle
***************************************	Center of Rear Trunnion, White Oak Filled with Wood Approach, (use				
Rear Deck & Trunnion	with 20° Wheel Covers), Removable, 20K Load Bearing	2	\$	1,052.00	Axle
	Center of Rear Trunnion and Approach, 1/4" Tread Plate covered, (use				
Rear Deck & Trunnion	with Wheel Covers), Removable (Bolt on), 20K Load Bearing	2	\$	326.00	Axle
	Wheel Covers, Full Length White Oak Inlaid (Bolt On), 20K Load Bearing				
Rear Deck & Trunnion	(Wood to Wood transition) (Only Used with 20° Approach Option)	2	\$	940.00	Axle
	Center of Rear Trunnion, Apitong Filled with Steel Approach, (User with		1		
Rear Deck & Trunnion	Wheel Covers), Removable, 20K Load Bearing	2	\$	1,252.00	Axle
	Wheel Covers, Full Length Apitong Inlaid (Bolt On), 20K Load Bearing				
Rear Deck & Trunnion	(Wood to Wood Transition) (Only Used with 20° Approach Option)	2	\$	1,406.50	Axle
	Center of Rear Trunnion, Apitong Filled with Apitong Approach,				
Rear Deck & Trunnion	(use with 20° Wheel Covers), Removable, 20K Load Bearring	2		1,586.00	
Rear Deck & Trunnion	Full Width Rear Deck - White Oak Inlaid	2	_	2,240.00	Axle
Rear Deck & Trunnion	Full Width Rear Deck - Apitong Inlaid	2	_	2,840.00	
Spare Tire	255/70R 22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot	1		528.00	<del> </del>
Spare Tire	275/70R 22.5 J, 10 Bolt [22.5 x 8.25] Hub Pilot	1		585.00	Each
Spare Tire, Acc	Spare Tire Mount - Mounted on top of the Gooseneck Slope	1	_	291.00	Opt /
Stripe Color	Chrome	1			Opt
Stripe Color	None	1	_	-	Opt
Stripe Color	Green	1	\$	-	Opt

Stripe Color	Bold Yellow	1	\$	-	Opt
Stripe Color	Black	1	_	· -	Opt
Suspension	Liquid Filled Pressure Gauge for Air Suspension	1		-	Std
Suspension	Digital Air Scale-Air Weigh Brand	1	\$	1,796.00	Opt
Suspension	Air Raise & Lower Valve Kit (Exposed valve)	1	\$	623.00	Opt
Suspension	Ridewell 240, 30,000 lb with Dump Valve & Pressure Gauge	2	\$	604.00	Axle
Suspension	Axle Chain Up System, with air shut off valve	2	\$	426.00	Axle
	Suspension Control Valve (dumps air suspension when parking brakes		İ		
Suspension	are applied)	1	\$	226.00	Opt
Suspension	Axle Limit Chains	2	\$	85.00	Axle
Suspension	Manual Adjustable Ride Height Control (+ or - 2.5")	1	\$	295.00	Opt 🗸
Tie Downs	3 Bar Low Profile Winches (weld on) with J-Hook across from Winch	1	\$	96.00	Each
Tie Downs	Swivel D-Rings	1	\$	96.00	Each
Tie Downs	D-Rings, 1" ** Bent **	12	\$	-	Each
Tie Downs	Chain Slots (1/2") every 2 ft (appx) along top of outer beams	22	\$	43.00	Feet
Tie Downs	Stake Pockets	1	\$	26.00	Each
Tie Downs	Weld On Barrel Style Winch for 4" Strap, Low Profile 4.33"	1	\$	84.00	Each
Tie Downs	D-Rings 1", Recessed in Deck	1	\$	55.00	Each
Tie Downs	Weld On Barrel Style Winch for 4" Strap, 5.5"	. 1	\$.	73.00	Each
Tie Downs	4" x 30' Strap and Chain & Hook	1	\$	70.00	Each
Tie Downs	Chain Slots (1/2") every 2 ft in Center of Deck	22	\$	43.00	Feet
Tie Downs	Combination Winch / Binder Bar, Includes Pipe Storage	1	\$	162.00	Each
Tie Downs	Weld On Barrel Style Winch for 4" Strap, 6.0"	1	\$	52.00	Each
Tires & Wheels	275/70R 22.5 J, 10 Bolt [22.5 x 8.25] Hub Pilot	8	\$	57.00	Std
Tires & Wheels	295/75R 22.5 G, 10 Bolt [22.5 x 8.25] Hub Pilot	8	\$	149.00	Each
Tires & Wheels	11R/22.5 H, 10 Bolt [22.5 x 8.25] Hub Pilot	8	\$	217.00	Each
/	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Alcoa, Mirror Polished				
Tires & Wheels, Acc	(inner and outer)	8	\$	515.00	Each
	Aluminum 8.25" x 22.5" Hub Piloted Wheels, TaskMaster, Polished				
Tires & Wheels, Acc	(outers only) $4 + 295 = 41,180$	4	\$	295.00	Each 🗸
	Aluminum 8.25" x 22.5" Hub Piloted Wheels, TaskMaster Polished				
Tires & Wheels, Acc	(inner and outer)	8	\$	295.00	Each
	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Alcoa, Mirror Polished				
Tires & Wheels, Acc	(outers only)	4	\$	515.00	Each
	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Alcoa Dura Brite (outers				
Tires & Wheels, Acc	only)	4	\$	646.00	Each
	Aluminum 8.25" x 22.5" Hub Piloted Wheels, Alcoa Dura Brite (inner				
Tires & Wheels, Acc	and outer)	8	\$	646.00	
Trailer Color	Cosmic Blue # CCA945382 (White Felling Decal)	1	\$	655.00	<del></del>
Trailer Color	Construction Yellow # CCA945588 (Black Felling Decal)	1	\$	785.00	
Trailer Color	Sparkle Black Metallic # CCA945730 (White Felling Decal)	1	+	1,289.00	Opt
Trailer Color	Bold Yellow # CCA945381 (Black Felling Decal)	1		655.00	Opt
Trailer Color	Charcoal Metallic # CCA945731 (White Felling Decal)	1	-	1,289.00	Opt
Trailer Color	Traffic Blue # CCA946016 (White Felling Decal)	1	1	1,289.00	Opt
Trailer Color	Construction Gray #CCA945592 (White Felling Decal)	1	\$	655.00	Opt
Trailer Color	Omaha Orange # CCA945591 (Black Felling Decal)	1	<del></del>	785.00	Opt
Trailer Color	Oklahoma Orange # CCA945379 (Black Felling Decal)	1	<u> </u>	655.00	Opt
Trailer Color	Mack Red # CCA945587 (White Felling Decal)	1	\$	1,289.00	Opt
	Vivid White # CCA945380 (Black Felling Decal) *Seams caulked prior to				
Trailer Color	prime/paint*	1	\$	785.00	Opt
Trailer Color	Viper Red # CCA945383 (White Felling Decal)	1	\$	785.00	Opt

			_		
Trailer Color	Dark Blue # CCA945732 (White Felling Decal)	1	\$	1,289.00	Opt
	Galvanized (Black Felling Decal) ** 3 Weeks already added to Lead Time				
Trailer Color	**	1	\$	0.95	
Trailer Color	Platinum Metallic # CCA945729 (White Felling Decal)	1	\$	1,289.00	Opt
	Sublime Green *45th Anniversary Color* # CCA953995 (Black Felling				
Trailer Color	Decal)	1	\$	1,495.00	Opt
	Plum Crazy Purple Metallic *45th Anniversary Color* # CCA953994				
Trailer Color	(Black Felling Decal)	1	\$	1,495.00	Opt
	Freightliner White # CCA945586 (Black Felling Decal) *Seams caulked		٨	605.80	٥.
Trailer Color	prior to prime/paint*	1	\$	685.00	Opt
	Ruby Red Metallic *45th Anniversary Color* #CCA975561 (Black Felling		,	4.505.00	0
Trailer Color	Decal)	1	\$	1,695.00	·
Trailer Color	Michels Red #CCA943445 (White Decal)	1	\$	1,100.00	Opt
	Custom - PPG# 60140 Gray Met - Delfleet Essential. Gooseneck and		,		0-4
Trailer Color, Acc	tower only (the rest of the trailer galvanized)	1	\$	-	Opt
Trailer Color, Acc	Custom Decals	1	\$	109.00	Opt
Trunnion Length	35° Appx, 10" Half Bolster Trunnion Approach	1.5	\$	1,099.50	Feet
	35° Appx, Full Height Trunnion Approach, Hinged half way up to clear				
	deck space and square of wheel cover, bolt on (Adds to overall length,				
Trunnion Length	use with Wheel Covers)	1.5	\$	2,852.00	Feet
	45° Appx, Full Height Trunnion Approach, bolt on (Use with Wheel				
Trunnion Length	Covers)	1	\$	1,111.00	Feet
	28° Appx, 3 ft Trunnion Approach, bolt on (Adds to overall length, use	_			
Trunnion Length	with Wheel covers)	. 3	\$	3,731.75	Feet
	20° Appx, 4 ft Trunnion Approach, bolt on (Adds to overall length, use		١.	·	
Trunnion Length	with Wheel Covers)	4	\$	5,971.50	Feet
	35° Appx, Full Height Trunnion Approach, bolt on (Adds to overall				
Trunnion Length	length, use with Wheel Covers)	1.5	\$	2,240.00	Feet
	20° Appx, 4 ft, Wood Inlaid Trunnion Approach, bolt on (Adds to overall		١.		
Trunnion Length	length, use with Wheel Covers)	4	\$	6,511.50	
Trunnion Length	60" Axle Spread, Trunnion Length in Feet (2 axle)	8.5	\$	518.50	Feet
Trunnion Length	55" Axle Spread, Trunnion Length in Feet (2 axle)	1	\$	33.00	Feet
Trunnion Length	10'1" Axle Spread, Trunnion Length in Feet (2 axle)	1	\$	216.00	Feet
Width	10' Wide OD, 10' Tread Width	1	\$	97.00	
Width	9.5' Wide OD, 9.5' Tread Width	1	\$	85.00	Feet
Width	9' Wide OD, 9' Tread Width	1	\$		
Width	10.5' Wide OD, 9.5' Tread Width	1	\$	113.00	Feet
Width	9' Wide OD, 8.5' Tread Width	1	\$	58.00	Feet
Width	10' Wide OD, 9.5' Tread Width	1	\$	97.00	Feet
Winch	20K Hyd, Requires External Hyd Source, Includes Cable and Hook	1	\$	7,743.00	Each
	30K Hyd, Requires External Hyd Source, Includes Tensioner, Cable and				
Winch	Hook	1	\$	10,197.00	Each
	12K Hyd, Requires External Hyd Source, Includes Fairlead Roller,		_		
Winch	Tensioner, Cable and Hook	1	\$	5,433.00	Each
	Custom winch mount location (other than at top rear of gooseneck,				
Winch	removable)	1	\$	2,829.00	Each

78, 240.50