

QUOTATION

115 Railroad Ave. Albany, N.Y. 12205

TO:		• •					
Customer		Albany Co. Pure Water					
Address							
City, State, Zi	ip Code						
Contact Perso							
Phone Number			k Number				
Date of Quota		6/26/2020 Quotation Price Good	Through				
Salesman Na	me	Matt Brayman					
<u> </u>							
Stock #	New or Used	Description		List Price			
		2021 Western Star 4700 SB 4x2	per attached spec.	\$109 <i>,</i> 747.00			
		Galbreath U20-HK-120 Roll Off Syst	tem per attached spec.	<u>\$39,872.00</u>			
				\$149,619.00			
		Onondaga Co. Bid #	#8996				
		F.O.B. Albany					
-							
_							
		-					
Description of	f Trade-In (Year,	Make, Lienholder, Amount owed on u	nit, Gross Trade-in allow	ance)			
<u> </u>	. 15						
DETAILS OF PR	OPOSED TRANSAC	TION:	TERMS AVAILABLE:				
CASH PRICE		\$0	12mos @ =				
-TRADE-IN (see	e above)	\$0	24mos @ =				
NET PRICE		\$0	36mos @ =				
SALES TAX (if applicable)		\$0	48mos @ =	ļ			
WASTE TIRE TAX:		\$0	60mos @ =				
TOTAL PRICE		\$0					
		ITY TO QUÔTE YOU. I ASSURE YOU THAT	TYOUR ORDER WILL BE MO	OST			
APPRECIATED AND HANDLED IN A PROMPT AND CAREFUL MANNER. PLEASE FEEL FREE TO CALL ME WHEN I CAN BE							
OF SERVICE							
		Sales Representative	Thank You	•			


Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

A proposal for ALBANY CO WATER

Prepared by TRACEY ROAD EQUIPMENT, INC. Brendan Geiss

Jun 25, 2020

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale.



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

SPECIFICATION PROPOSAL

Description

Price Level

WESTERN STAR 4700 PRL-20T (EFF:04/30/19)

An Order Harbard Medical State of the Auto-

Data Version

SPECPRO21 DATA RELEASE VER 022

Vehicle Configuration

4700 SET-BACK FRONT AXLE CHASSIS

2021 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

STRAIGHT TRUCK PROVISION, NON-TOWING

LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

UTILITY/REPAIR/MAINTENANCE SERVICE

GOVERNMENT BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

MAINTAINED GRAVEL OR CRUSHED ROCK -MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

WESTERN STAR VOCATIONAL WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 16000.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

27120.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 43120.0 lbs

Truck Service



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

FLATBED/PLATFORM BODY WITH LIFT/PULL DEVICE/CRANE

Engine

DETROIT DD13 12.8L 410 HP @ 1625 RPM, 1900 GOV RPM, 1550 LB/FT @ 975 RPM

Electronic Parameters

65 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT

5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE

PTO MODE ENGINE RPM LIMIT - 1800 RPM

PTO MODE RPM INCREMENT - 25 RPM

ONE REMOTE PTO SPEED

PTO SPEED 1 SETTING - 800 RPM

SOFT CRUISE CONTROL ENABLED

PTO MINIMUM RPM - 600

TEMPERATURE OVERRIDE BELOW 20 DEGREES AND ABOVE 70 DEGREES AMBIENT TEMPERATURE

ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE

Engine Equipment

2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION

2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL


ONE PIECE VALVE COVER

SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH Safety ELEMENT AND PASSIVE PRECLEANER

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

(3) DTNA GENUINE, AGM STARTING AND CYCLING, MIN 2190CCA, 570RC, THREADED STUD BATTERIES

PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB





Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

BATTERY BOX MOUNTED UNDER PASSENGER SEAT

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

PLASTIC BATTERY BOX COVER

POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH

LOW VOLTAGE BATTERY DISCONNECT AT 12.1 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM

BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE

AIR COMPRESSOR DISCHARGE LINE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

JACOBS COMPRESSION BRAKE

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

13 GALLON DIESEL EXHAUST FLUID TANK

100 PERCENT DIESEL EXHAUST FLUID FILL

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

NON-POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD

HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREME FAN DRIVE

AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED

DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

FULL FLOW OIL FILTER

1500 SQUARE INCH ALUMINUM RADIATOR MOUNTING FOR FIREWALL MOUNTED SURGE TANK

ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT

GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT

CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES

HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE

STEEL LOWER RADIATOR AND OIL PAN GUARDS

PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER

PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER

CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR WITH CURRENT SENSOR LIGHT

ALUMINUM FLYWHEEL HOUSING

MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED

BODY LIGHTING POWER WIRED TO CUSTOMER INTERFACE CONNECTOR WITH SEPARATE & COMBO STOP/TURN

ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR

CUSTOMER INSTALLED CHELSEA 280 SERIES

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED

TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

MFS-16-143A 16,000# FL1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE

MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES


NON-ASBESTOS FRONT BRAKE LINING

CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL





Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

STANDARD SPINDLE NUTS FOR ALL AXLES

HALDEX AUTOMATIC FRONT SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS

STANDARD KING PIN BUSHINGS

TRW TAS-85 POWER STEERING

POWER STEERING PUMP

2 QUART SEE THROUGH POWER STEERING

RESERVOIR

SYNTHETIC 40/50W FRONT AXLE LUBE

Front Suspension

16,000# TAPERLEAF FRONT SUSPENSION

MAINTENANCE FREE RUBBER BUSHINGS -

FRONT SUSPENSION

FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RS-30-185 30,000# U-SERIES SINGLE REAR

AXLE

4.30 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH STANDARD

AXLE HOUSING

MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES

DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE

(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE

INDICATOR LIGHT FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH

MERITOR 16.5X7 P CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES

NON-ASBESTOS REAR BRAKE LINING

BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)


WEBB CAST IRON REAR BRAKE DRUMS

REAR BRAKE DUST SHIELDS

REAR OIL SEALS

BENDIX EVERSURE LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS

HALDEX AUTOMATIC REAR SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS





Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

30,000# FLAT LEAF SPRING REAR SUSPENSION

WITH HELPER AND RADIUS ROD

SPRING SUSPENSION - 1.50" AXLE SPACER

STANDARD AXLE SEATS IN AXLE CLAMP

GROUP

FORE/AFT CONTROL RODS

Brake System

WABCO 4S/4M ABS

REINFORCED NYLON, FABRIC BRAID AND WIRE

BRAID CHASSIS AIR LINES

FIBER BRAID PARKING BRAKE HOSE

STANDARD BRAKE SYSTEM VALVES

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,

NO REAR PROPORTIONING VALVE

WABCO SYSTEM SAVER HP WITH INTEGRAL

AIR GOVERNOR AND HEATER

WABCO OIL COALESCING FILTER FOR AIR

DRYER

AIR DRYER FRAME MOUNTED

STEEL AIR TANKS MOUNTED AFT INSIDE

AND/OR BELOW FRAME JUST FORWARD OF

REAR SUSPENSION

CLEAR FRAME RAILS 36 INCHES FROM BACK OF CAB OUTBOARD OF BOTH FRAME RAILS

PULL CABLES ON ALL AIR RESERVOIR(S)

Wheelbase & Frame

5350MM (211 INCH) WHEELBASE

11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI

1900MM (75 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 71 INCH TO 80

INCH

CALC'D BACK OF CAB TO REAR SUSP C/L (CA):

147.32 in

CALCULATED EFFECTIVE BACK OF CAB TO

REAR SUSPENSION C/L (CA): 144.32 in

CALC'D FRAME LENGTH - OVERALL: 315.55

FRAME HEIGHT TOP FRONT UNLADEN: 32,96 in

Application Version 11.2.313
Data Version PRL-20T.022
ALBANY COUNTY PURE WATER



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

FRAME HEIGHT TOP FRONT LADEN: 30.54 in FRAME HEIGHT TOP REAR UNLADEN: 43.7 in FRAME HEIGHT TOP REAR LADEN: 40.73 in CALCULATED FRAME SPACE LH SIDE: 88.4 in CALCULATED FRAME SPACE RH SIDE: 221.32 in

1111

CALC'D SPACE AVAILABLE FOR DECKPLATE:

147.69 in

SQUARE END OF FRAME

STANDARD WEIGHT ENGINE CROSSMEMBER

STANDARD CROSSMEMBER BACK OF

TRANSMISSION

STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER

STANDARD WEIGHT REAR SUSPENSION

CROSSMEMBER

Chassis Equipment

14 INCH PAINTED STEEL BUMPER

REMOVABLE FRONT TOW HOOKS STORED ON

THE CHASSIS FRAME

BUMPER MOUNTING FOR SINGLE LICENSE

PLATE

FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

EXTERIOR HARNESSES WRAPPED IN

ABRASION TAPE

Fuel Tanks

60 GALLON/227 LITER ALUMINUM FUEL TANK -

LH

25 INCH DIAMETER FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL

FUEL/HYDRAULIC TANK(S) WITH POLISHED

STAINLESS STEEL BANDS

FUEL TANK(S) FORWARD

PLAIN STEP FINISH

FUEL TANK CAP(S)

DAVCO 487 FUELWATER SEPARATOR WITH

ESOC AND 12 VOLT PREHEATER

EQUIFLO INBOARD FUEL SYSTEM

Application Version 11.2.313
Data Version PRL-20T.022
ALBANY COUNTY PURE WATER



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

_					
IJ	esc	rın	ш	nn	

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE

NO FUEL COOLER

Tires

MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL

FRONT TIRES

MICHELIN XDS 12R22.5 16 PLY RADIAL REAR

TIRES

Hubs

CONMET PRESET PLUS PREMIUM IRON FRONT

HUBS

WEBB IRON REAR HUBS

Wheels

ACCURIDE 29300 22.5X9.00 10-HUB PILOT 6.38

INSET 5-HAND STEEL DISC FRONT WHEELS

ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-

HAND HD STEEL DISC REAR WHEELS

FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS

NYLON WHEEL GUARDS FRONT AND REAR ALL

INTERFACES

Cab Exterior

110 INCH BBC STEEL CONVENTIONAL CAB

WESTERN STAR PAINTED ALUMINUM CAB

SKIRT

AIR CAB MOUNTS WITH CHECK VALVE

RACEWAY WITHOUT MISCELLANEOUS CUSTOM

CAB REQUIREMENTS

NONREMOVABLE BUGSCREEN MOUNTED

BEHIND GRILLE

FRONT FENDERS

2 INCH FENDER EXTENSIONS

LH AND RH EXTERIOR GRAB HANDLES WITH

RUBBER INSERTS AND RH INTERIOR GRAB

HANDLE MOUNTED TO A POST

STATIONARY BRIGHT FINISH GRILLE

CHROME HOOD MOUNTED AIR INTAKE GRILLE

GALVANEALED STEEL SEVERE SERVICE CAB

FIBERGLASS HOOD

HOOD LINER INSULATION WITH SINGLE

FIREWALL INSULATION

Application Version 11.2.313
Data Version PRL-20T.022
ALBANY COUNTY PURE WATER



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS

SINGLE ELECTRIC HORN

DUAL HORN SHIELDS

DOORS AND IGNITION KEYED THE SAME

REAR LICENSE PLATE MOUNT END OF FRAME

SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS

SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS

LED MARKER LAMPS

HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS

INTEGRAL LED STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS WITH RH REMOTE

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH

LH AND RH SUREPLUS 574 8 INCH BRIGHT FINISH HEATED CONVEX MIRRORS WITH SEPARATE ADJUSTMENT, MOUNTED BELOW MIRROR

RH DOWN VIEW MIRROR

RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS

STANDARD SIDE/REAR REFLECTORS

ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER

RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER

FIBERGLASS EXTERIOR SUN VISOR

17.5X35 INCH TINTED REAR WINDOW


TINTED DOOR GLASS

RH AND LH ELECTRIC POWERED WINDOWS

LOWER RH DOOR WINDOW WITH FRESNEL I ENS

2-PIECE ROPED-IN WINDSHIELD GASKET MOUNTED

2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL





Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

Cab Interior

SMOKY MOUNTAIN GRAY VINYL PREMIUM

INTERIOR

BLACK HARD TRIM

BASE LEFT HAND DOOR TRIM

BASE RIGHT HAND DOOR TRIM

BLACK MATS WITH SINGLE INSULATION

ASH CUP AND LIGHTER

FORWARD ROOF MOUNTED CONSOLE

14"X7.75" DOCUMENT POUCH MOUNTED ON BACK WALL BETWEEN SEATS

LH AND RH DOOR MAP POCKETS

(2) COAT HOOKS ON BACKWALL OF CAB

(1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH

TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER

5 LB. FIRE EXTINGUISHER

HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER

HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING

VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR

RADIATOR MOUNTED AIR CONDITIONER CONDENSER

BINARY CONTROL, R-134A

ADDITIONAL CAB SIDEWALL INSULATION

AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES

DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS

LH AND RH ELECTRIC DOOR LOCKS

(1) 12 VOLT POWER SUPPLY AND (2) USB PORTS MOUNTED IN DASH



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057

Description

TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB

PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER

BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT

DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS

BLACK MORDURA CLOTH DRIVER SEAT COVER

BLACK MORDURA CLOTH PASSENGER SEAT COVER

3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH SWITCHES

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS

ELECTRONIC FOOT ACCELERATOR

BRIGHT ARGENT FINISH GAUGE BEZELS

BLACK VINYL DRIVER INSTRUMENT PANEL

BLACK VINYL CENTER INSTRUMENT PANEL

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

FILTERMINDER DASH MOUNTED AIR RESTRICTION GAUGE

97 DB BACKUP ALARM

ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

FUEL FILTER RESTRICTION INDICATOR

EMISSIONS LIMITED IDLE ADJUST

CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

ENGINE OIL TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER

(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP FOR CUSTOMER INSTALLED PTO

ELECTRIC ENGINE OIL PRESSURE GAUGE

AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939

ROOF/OVERHEAD CONSOLE MOUNTED RADIO

(4) RADIO SPEAKERS IN CAB

AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR

POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE

ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM

UHF/VHF RADIO POWER/GROUND HARNESS TO OVERHEAD INSTRUMENT PANEL

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER

STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BETWEEN DRIVER AND PASSENGER SEATS

ELECTRONIC 3000 RPM TACHOMETER

VT-HU CONNECTIVITY PLATFORM HARDWARE



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS) FOR VT-HU CONNECTIVITY PLATFORM

IDLE SHUTDOWN OVERRIDE, DDEC 5/6 AMBIENT AIR TEMPERATURE SENSOR

FOUR EXTRA SWITCHES IN DASH

HARDWIRE SWITCH #1,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACE CONNECTOR

HARDWIRE SWITCH #2,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

HARDWIRE SWITCH #3,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

HARDWIRE SWITCH #4,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY

CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL

ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT

PACIFIC INSIGHT ELECTRONIC FLASHER

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
CAB INTERIOR PAINTED SAME AS CAB COLOR
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT

POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

Application Version 11.2.313
Data Version PRL-20T.022
ALBANY COUNTY PURE WATER



Prepared by:
Brendan Geiss
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone:

Description

BUMPER PAINTED SAME AS CHASSIS SUNVISOR PAINTED SAME AS CAB COLOR A

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Factory Options

DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE

Raw Performance Data

CALC'D FRAME LENGTH - OVERALL: 315.55 CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 144.32 in CALC'D SPACE AVAILABLE FOR DECKPLATE: 147.69 in

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.





Premier Municipal and Truck Equipment Since 1978

Tracey Road Equipment Albany 115 Railroad Ave Albany NY 12205 518.438.1100 Matt Brayman mbrayman@traceyroad.com

June 25, 2020

Re: Albany County Water Purification District 1 Canal Rd. South Albany NY 12204 Angelo Gaudio 518.447.1624

Cyncon Equipment is pleased to provide our quote for the following equipment:

Description	<u>Quote</u>
-------------	--------------

Galbreath U20-HK-120 Single Pivot Hook Lift Hoist with:
54" Hook, Inside Air Controls, Transmission Mounted PTO with
Coupled Pump, Poly Fenders, LED Lights Recessed in Bumper,
Rear Nylon Mounted on Suitable Cab/Chassis, Painted Black.
Aero Tarp System Installed
\$51,260.00
\$5,700.00

Total List Price \$ 56,960.00 Less 30% Discount per Onondaga County Bid (\$ 17,088.00) Total Net Price \$ 39,872.00

Chassis requirements for above hoist are 33,000 GVW, 128 CA.

Thank you for the opportunity to supply your equipment needs. As always, please contact me with any questions.

Best regards,

Mike Kane

Sales Representative