

**EDGEMERE / ALBANY
HOUSING AUTHORITY**
200 SOUTH PEARL STREET,
ALBANY, NY 12202

**STEAMBOAT SQUARE
REVITALIZATION - PHASE II**
200 Green Street,
ALBANY, NY 12202

1	5/23/2025	ADDENDUM 2
NO.	DATE:	DESCRIPTION:

Revisions

PROJECT NUMBER: 2233582

DRAWN BY: SCB

REVIEWED BY: SRV

ISSUED FOR: SITE PLAN REVIEW

DATE: MAY 30, 2025

DRAWING NAME:

UTILITY PLAN

DRAWING NUMBER:

STRUCTURE TABLE			
STRUCTURE #	STRUCTURE TYPE	RIM (FT)	INVERT (FT)
ST-2.0	TRENCH DRAIN	FLUSH W/ P/VM	14.60 (NW)
ST-2.1	24"x24" CATCH BASIN	18.15	14.44 (NW) 14.44 (SE)
ST-2.2	4" DIA. MAHOLE	18.50	15.00 (W) 9.25 (NE) 14.30 (S)
ST-2.3	24"x24" CATCH BASIN	19.90	15.62 (N) 15.52 (SE)
ST-2.4	12" DIA. DRAIN BASIN	19.50	16.60 (NE) 16.50 (S)
ST-2.5	12" DIA. DRAIN BASIN	19.50	17.00 (SW)
ST-2.6	12" DIA. DRAIN BASIN	20.00	16.00 (S) 16.08 (UD)
ST-2.7	6" DIA. MANHOLE	18.75	15.28 (N) 13.19 (SE) 13.30 (S) 9.55 (SW)
ST-2.8	24"x24" CATCH BASIN	17.50	13.42 (NW) 13.42 (UD)
ST-2.9	4" DIA. MANHOLE	18.10	9.25 (NE) 9.25 (SE)
ST-2.10	24"x24" CATCH BASIN	17.85	14.85 (NE)
ST-2.11	24"x24" CATCH BASIN	16.62	10.52
ST-2.12	24"x24" CATCH BASIN	17.85	13.70 (SW) 13.60 (NW)
ST-2.13	4" DIA. MANHOLE	18.75	9.35 (N) 9.25 (S)
ST-2.14	CASCADE CS-3 (WQU 2) IN 4" DIA. MANHOLE	18.50	9.20 (NE) 9.20 (SW)
ST-3.0	4" DIA. MANHOLE	17.85	13.37 (SW) 13.27 (SE)
ST-3.1	4" DIA. MANHOLE	17.90	13.57 (NE) 13.67 (SW)
ST-3.2	24"x24" CATCH BASIN	17.50	13.67
ST-3.3	24"x24" CATCH BASIN	16.50	14.00 (SW)
ST-3.4	4" DIA. MAHOLE	16.75	13.88 (NE) 13.78 (NW) 13.67 (SW)
ST-3.5	12" DIA. DRAIN BASIN	15.75	14.08 (E)
ST-4.0	4" DIA. MANHOLE	17.85	12.80 (NE) 12.70 (SE)
ST-4.1	4" DIA. MANHOLE	17.60	13.00 (NE) 12.90 (SE)
ST-4.2	CASCADE CS-3 (WQU 1) IN 4" DIA MANHOLE	16.80	13.58 (NE) 13.58 (NW) 13.58 (SW)
ST-4.3	24"x24" CATCH BASIN	17.75	14.75 (N)
ST-4.4	24"x24" CATCH BASIN	16.50	14.20 (NW) 14.10 (SW)
ST-4.5	24"x24" CATCH BASIN	17.90	14.90 (SE)
ST-4.6	4" DIA. MANHOLE	18.42	13.10 (SW) 13.00 (SE)
ST-4.7	4" DIA. MANHOLE	20.50	15.50 (SE) 15.40 (NE)
ST-4.8	24"x24" CATCH BASIN	19.25	15.82 (SW) 15.72 (NW)
ST-4.9	24"x24" CATCH BASIN	19.25	16.25

- UTILITY NOTES:
1. WATER METERS MUST BE OBTAIN FROM ALBANY WATER DEPARTMENT AND AN INSPECTION MUST BE PERFORMED BY THE AWD STAFF AFTER INSTALLATION. CONTACTING THE WATER DEPARTMENT AT 518-434- 5300 FOR A METER OR AN INSPECTION.
 2. BACKWATER VALVES MUST BE INSTALLED ON SANITARY SEWER LATERALS. PLUMBING PLANS WILL BE REQUIRED SHOWING THE MANUFACTURE, MODEL AND LOCATION. PROVIDE THE BACKWATER VALVE TEST RESULTS.
 3. 48 HOURS' NOTICE MUST BE GIVEN TO DEPARTMENT OF WATER FOR INSPECTIONS.
 4. WATER/SEWER PERMITS WILL BE REQUIRED FOR THE PROPOSED UTILITY CONNECTIONS/TERMINATIONS PRIOR TO THE START OF CONSTRUCTION.

