Quotation



WHEN I CAN BE OF SERVICE...

MATT BRAYMAN

Customer

Address

6803 Manlius Center Road, East Syracuse, NY 13057 phone (315) 437-1471 fax (315) 437-4041

ALBANY COUNTY

449 NEW SALEM ROAD

City, State, Zip Code		VOORHEESVILLE NY 12186	
Contact F	Person	SCOTT DUNCAN	
Phone Number Date of Quotation		Fax Number	
		3/12/2024 Quotation Price Good Through	
Salesman	Name	MATT BRAYMAN	
Qty	New or Used	Description	Price
1	NEW	WESTERN STAR 47X CAB/CHASSIS MSRP	\$227,753.00
		LESS 50.85% PER ONONDAGA COUNTY CONTRACT 10914	-\$115,812.00
		BASE PRICE	\$111,941.00
		LIST OF SPEC'D OPTIONS	\$39,433.00
		LESS 12% PER ONONDAGA COUNTY CONTRACT	-\$4,731.00
		TOTAL PRICE OF SPEC'D OPTIONS	\$34,702.00
····		NONDISCOUNTABLE FACTORY OPTIONS/CHARGES:	
		CARB CONMPLIANT DD13/X12	\$1,590.00
		TIRE SURCHARGES	\$650.00
	· · · · · · · · · · · · · · · · · · ·	MODEL YEAR PRODUCTION CHARGE	\$2,750.00
		EW4 ENGINE WARRANTY 7YR/150,000 WITH ATS	\$5,265.00
		AFTERMARKET:	
		HEATED WIPER BLADES	\$725.00
		RH SPRING BUILD UP FOR WING PLOW	\$1,300.00
		DELIVERY CHARGE PER CONTRACT	\$1,300.00
		VIKING PLOW EQUIPMENT PACKAGE PER QOUTE	\$125,015.80
		Total	\$284,168.80
DETAILS	OF PROPOSED	TRANSACTION: TERMS AVAILABLE	: :
CASH PR		\$284,168.80	
	N (see above)	\$0.00	
NET PRIC		\$284,168.80	
	X (if applicable)		
	IET (if applic.)	\$ -	
WASTE T	IRE TAX	\$ -	
TOTAL PE	RICE	\$284,168.80	

WE APPRECIATE THIS OPPORTUNITY TO QUOTE YOU. I ASSURE YOU THAT YOUR ORDER WILL BE MOST APPRECIATED AND HANDLED IN A PROMPT AND CAREFUL MANNER. PLEASE FEEL FREE TO CALL ME

Sales Representative

Thank You



QUOTATION

Quote ID: DM00000229

Page 1 of 4

ONONDAGA CO. CONTRACT #10914

Customer: ALBANY COUNTY

Contact:

Address: 449 NEW SALEM ROAD

VOORHEESVILLE, NY 12186

Phone: 518-765-2055

Fax:

Attn: SCOTT DUNCAN

Quote Number: DM00000229 **Quote Date: 2/19/2024** Quote valid until: 3/20/2024

For: TANDEM EQUIPMENT FOR 6X4 CHASSIS

Terms: Net 30 days

Salesperson: Dave McBurnie

FOB: Destination

ITEM NUMBER	QUANTITY	DESCRIPTION		
HEM NOMBER	WOANTIT!			
		HD ONEWAY COMPRESSION SPRING		
S50111	1	OW2654HSE9 COMPRESSION TRIP MOLDBOARD		
S54170	1	11' BLADE CARBIDE W/ STEEL 12" TRAPEZOID		
S50504	1	ONEWAY HS PUSHFRAME	:	
S52410	1	30 1/2" SWIVEL		
S50580	1	CAST MUSHROOM SHOES		
S50610	0	NO MOLDBOARD SHOE REQUIRED		
S50201	1	STANDARD NOSE PIECE		
S50670	1	SHOCK SPRING		
S75434	1	JACK STAND (TUBE MOUNT) PLOW		
		нітсн		
S10500F	1	POWER-TILT WING		
S11010F	1	4" X 10" DA CYLINDER		
S75037F	1	DOUBLE GRAB LIFT GROUP		
S13010F	1	PUSH CENTER 30 1/2"		
S10950F	1	TAIL PLATES		
S10996F	1	ACCESS STEP FOR HITCH		
S10991F	1	A-FRAME LIFTING LUG		
S15100F	1	STANDARD QUICK DISCONNECTS (LIFT CYLINDER)		
S12200F	1	PUMP BRACKET PTO		
		FRONT MAST		
S30700F	1	FH33 CABLE FRONT MAST		
S33300F	1	FULL TRIP HINGE (5 DEGREE) STANDARD RIGHT HAND		
S34000F	1	STANDARD QUICK DISCONNECTS		
S34100F	1	FRONT MAST SKID SHOE BOLT ON		
S34102F	1	MIRROR BRACKET		
		STANDARD RIGHT HAND WINGS		
S60016	1	1112WHD STANDARD RIGHT HAND WING		
S54170	1	11' BLADE CARBIDE W/ STEEL 12" TRAPEZOID		
S61005	1	STAND-OFF ARM PR FULL TRIP CABLE		
		CABLE REAR MASTS		
S40516F	1	HC109650 CABLE SINGLE SA		
S40320F	1	5/8" WIRE ROPE CABLE SINGLE SA		
S40651F	1	RUBBER STAND-OFF ARM STOPS CABLE REAR MASTS		



QUOTATION

Quote ID: DM00000229

Page 2 of 4

ONONDAGA CO. CONTRACT #10914

lad-New conservation				
ITEM NUMBER	QUANTITY	DESCRIPTION		
		HYDRAULIC PUMP		
S20016F	1	TANDEM DRY VALVE		
S22030F	1	OIL RESERVOIR 40 GAL CABINET MOUNT		
S22117F	1	LOW OIL SENSOR CABINET TANK		
3221171	1	LOW OIL SENSOR CABINET TANK		
		FLOW CONTROLS		
S27033F	1	REXROTH CS-630 ELECTRONIC SANDER CONTROL - 1100716582		
CSS5	1	FIVE SPOOL VALVE COMMERCIAL		
SHS0001F	1	SUCTION SHUT-OFF CABINET TANK, TANDEM PUMP		
SRM0015F	1	RETURN MANIFOLD 1 BANK INCORPORATED FLOW CTRL		
SFP0002F	1	PLUMB KIT - FLOW CONTROL – PL HW FRONT SIDE DISCH SS		
SPP0020F	1	PLUMB KIT-FM TANDEM SS (PRESSURE ONLY) CABINET TANK		
SHP0002F	1	PLUMB KIT-HITCH PT & TO STAINLESS STEEL		
SMP0002F	1	PLUMB KIT FRONT MAST STAINLESS STEEL		
SBP0004F	1	PLUMB KIT-BODY INVERTED TELESCOPIC S/A		
S24210F	1	2 DEL HANDLE FLOOR MOUNT AIR		
S24230F	1	3 DEL HANDLE PEDESTAL MOUNT AIR		
SVC0027	1	VALVE CTRL ADAPTERS 5 AIR CSS		
SCC0002F	1	AIR SUPPLY KIT 2 BANKS (1 FL 1 PED)		
SCC0004F	1	AIR TAILGATE DA LOCKING AIR CONTROLS		
SCC0014F	1	EXTRA AIR LINE OPTION FOR PEDESTAL		
33333141	'	EXTRA AIR LINE OF HON FOR FEDESTAL		
		LIGHTING		
S70001F	1	PLOW LIGHTS HALOGEN		
S89313F	3	LED AUXILIARY WORK LIGHT		
S70121F	1	LED LIGHTS STOP/TAIL/TURN BACK OF BODY (PAIR)		
S70386F	1	BACK UP LED LIGHTS BACK OF BODY (PAIR)		
S70388F	1	LED STROBE AMBER FLASHERS BACK OF BODY (PAIR)		
0704055	4	PINTLE HOOKS		
S70135F	1	S70135X- CUSTOM CLOSURE PLATE w/ COMBO HOOK 2-5/16"		
S70391F	1	LED COMBOS FOR PINTLE PLATES S/T/T/B		
		MISCELLANEOUS ACCESSORIES		
S89357F	1	RUBBER MUD FLAPS ACROSS FRONT REAR AXLE		
S70338F	1	SHOVEL HOLDER STEEL		
SBK0100	1	MUDFLAP HINGE BRACKET SS		
		DUMP BODY		
DOD)//				
BODY1	1	PROLINE HW-II COMBINATION BODY INCLUDES STD EQUIP:		
		Air tailgate without Asphalt Gate		
		CS-5-3 Trunion Mount 3 Stage Telescopic Hoist Cylinder		
	-	Conveyor Return Poly Cover		
		• 3/16" Corten Body construction		
		• ¼" Corten Conveyor Floor		
		• ¼" Hardox 450 Conveyor Floor Insert		
		• ¼" Corten Formed Longsills with Auto Tensioning System		
!		• Front Discharge Main Conveyor with Single Planetary Drive		
;		667X Pintle Main Conveyor Chain w/ Cross Slats Every 2nd Link		



QUOTATION

Quote ID: DM00000229

Page 3 of 4

ONONDAGA CO. CONTRACT #10914

ITEM NUMBER	QUANTITY	DESCRIPTION		
		• LH Front Body Access Ladder		
		• ¼" Corten Main Conveyor Cover		
		BODY OPTIONS INCLUDED:		
		PL1415HW-II 14' Combination body w/ CS130 Hoist		
		Front LH Discharge Cross Conveyor w/ 16" Poly Spinner		
		S70822 - Spinner Chute Relocation Kit (Rear Facing)		
		Galvanized Material Screens - 1415		
		Main Conveyor Chain Flites Every Link		
		High Tensile Conveyor Cover ILO Std		
		Coal Door in Tailgate (Front Spread Only)		
		Poly return cover extension		
		1/2 Cabshield - Corten (24")		
		Rear Spreader Apron - SS VCU #11303075		
		11330004 - Poly Front Discharge Overflow Extension SA		
		11330004 - 1019 110110 Discharge Overflow Extension SA		
SBK0002F	1	BODY INSTALL KIT - PROLINE HW FRONT SIDE DISCHARGE		
	_	CHASSIS KIT		
SCK0004F	1	OTHER CHASSIS		
		TARP SYSTEM		
STS0012F	1	PIONEER, ELECTRIC, NO HSG ALUM, ASPHALT TARP, UP TO 15'		
STS0017F	1	PROLINE ADAPTERS (MILD STEEL)		
STS0018F	1	ALUM TENSION HOOP		
STS0026F	1	ALUM DEFLECTOR		
STS0037F	1	TARP STOPS (MILD STEEL)		
01000071	ı	TARE STOPS (WILD STEEL)		
		TRUCK MOUNT INSTALL		
S79010F	1	INSTALL FULL MOUNT PLOW SYSTEM		
S79100F	1	INSTALL PLOW LIGHTS		
S79110F	1	INSTALL WING LIGHT		
S79115F		INSTALL SANDER LIGHT		
S79150F		INSTALL DUMP VALVE SECTION		
S79180F	1	INSTALL ELECTRIC SPEADER CNTRL (PIPED TO REAR OF CAB)		
S79210F	1	INSTALL DUMP BODY COMBINATION FRONT DISCHARGE		
S79310F	1	INSTALL TARP SYSTEM ELECTRIC		
SFPP01	1	FRONT OF PLOW COLOR - STANDARD ORANGE		
SRPP01	•	MATCH FRONT OF PLOW		
SFWP01	1	FRONT OF WING COLOR - STANDARD ORANGE		
SRWP01	1	REAR OF WING COLOR - MATCH FRONT OF WING		
SDBP02	1	PAINT BODY TO MATCH CAB		Ì
		This Equipment Requires 126-130" CT and Min	Quote Total:	\$178,594.00
		60""AF		
		Furnish Tailplates with Hitch Customer Requests wing arm bumper on rear slide	Discount:	(\$53,578.20)
		Install cross conveyor spill shield per Customer	Total Cost For	\$42E 04E 00
		Sander Control mounted per Customer	Equipment:	\$125,015.80
		Custom SS Rear Apron by VCU Delivery to Truck	_	
		(2) Gate spreader chain anchors on rear of body Dealer	Charges	\$230



QUOTATION

Quote ID: DM00000229

Page 4 of 4

ONONDAGA CO. CONTRACT #10914

ITEM NUMBER QUANTITY DESCRIPTION	
*VCU – Order Body with: Rear post light holes in raised position, Ladder mounted left front, Inside steps, Short fender mod, No tarp holes in fenders, Vertical rear posts, Extended screens for vertical posts, Outboard gate chains	\$125,245.80

The following options may be added:

P.O. number:

ITEM QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT

Customer must fill out the information below before the order can be processed.

Accepted by:

Date:

The price and terms on this quotation are not subject to verbal changes or other agreements unless approved in writing by the Home Office of the Seller. All quotations and agreements are contingent upon strikes, accidents, fires, availability of material and all other causes beyond our control. Prices are based on costs and conditions existing on date of quotation and are subject to change by the Seller before final acceptance.

- ◆ Typographical and stenographic errors subject to corrections. Purchaser agrees to accept either overage or shortage not in excess of ten percent to be charged pro-rata. Purchaser assumes liability for patent and copyright infringement when goods are mode to Purchaser's specifications. When quotation specifies material to be furnished by the purchaser, ample allowance must be made for reasonable spoilage and material must be of suitable quality to facilitate efficient production.
- Conditions not specifically stated herein shall be governed by the established trade customs. Terms inconsistent with those stated herein which may appear on Purchaser's formal order will not be binding on the Seller.
- Unless otherwise stated, Installation charges do not include modifications to exhaust systems, cab protectors or bumpers.

Prepared by: TRACEY ROAD EQUIPMENT, INC. 6803 MANLIUS CENTER ROAD EAST SYRACUSE, NY 13057 Phone: 315-437-4800

A proposal for ALBANY COUNTY DPW


Prepared by

TRACEY ROAD EQUIPMENT, INC.

Dave Holzwarth

Feb 10, 2024

Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

Prepared by: TRACEY ROAD EQUIPMENT, INC. 6803 MANLIUS CENTER ROAD EAST SYRACUSE, NY 13057 Phone: 315-437-4800

SPECIFICATION PROPOSAL

Data Co	ode	Description	Weight Front	Weight Rear
Price Level				
PRL-28	X	WST 47X/49X PRL-28X (EFF:MY25 ORDERS)		
Data Version				
DRL-02	8	SPECPRO21 DATA RELEASE VER 028		
Vehicle Config	uration			
001-470)	WESTERN STAR 47X	9,050	6,525
004-225	5	2025 MODEL YEAR SPECIFIED		
002-003	3	SET FORWARD AXLE - TRUCK	-4 80	480
019-004	ļ	STRAIGHT TRUCK PROVISION, NON-TOWING		
003-001	1	LH PRIMARY STEERING LOCATION		
General Servic	e .		7.2	
AA1-00	_	TRUCK CONFIGURATION		
AA6-00	1	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
99D-01!		CARB EMISSIONS CERTIFICATION NOT FOR INITIAL REGISTRATION IN CALIFORNIA AND CARB OPT-IN STATES -CARB CLEAN IDLE (6X4 INCH LABEL ON LOWER FORWARD DRIVER DOOR)		
AF2-99	8	NONE		
A85-01	1	CONSTRUCTION SERVICE		
A84-1G	M	GOVERNMENT BUSINESS SEGMENT		
AA4-01	0	DIRT/SAND/ROCK COMMODITY		
AA5-00	2	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-00	8	MAXIMUM 8% EXPECTED GRADE		
AB5-00	1	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1A	5	WESTERN STAR VOCATIONAL WARRANTY		
A66-99	D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs		
A68-99	D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs		

	Data Code	Description	Weight Front	Weight Rear
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 66000.0 lbs		
Truck S	iervice			
	AA3-018	FRONT PLOW/END DUMP BODY		
	AF3-2D7	VIKING CIVES, LTD.		
Engine				
	101-3FH	DETROIT DD13 GEN 5 12.8L 450 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB-FT @ 975 RPM		
Electro	nic Parameter	S	i Biril	
13-28-35-13-12-12-13-13-13-13-13-13-13-13-13-13-13-13-13-	79A-075	75 MPH ROAD SPEED LIMIT	Leng Lag Range Lag Page	STREETING CONTROL BOX OF LANGUAGES AND
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM		
	79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES		
	79T-001	PTO MODE RPM INCREMENT - 25 RPM		
	79U-001	PTO GOVERNOR RAMP RATE - 25 RPM PER SECOND		
	79W-008	ONE DASH PTO SPEED SWITCH, WITH ONE TEM PTO SPEED		•
	79X-005	PTO SPEED 1 SETTING - 900 RPM		
	80G-002	PTO MINIMUM RPM - 700		
	80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		
	80W-001	MAINTENANCE SYSTEM WITH NO POP-UPS AND NO MENU IN CLUSTER		
	80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION		
Engine	Equipment			
	99C-124	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX CONFIGURATION		
	13E-001	STANDARD OIL PAN		
	105-001	ENGINE MOUNTED OIL CHECK AND FILL		
	014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR		
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10	
	292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES		
	290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		

Data Code	Description	Weight Front	Weight Rear	
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-006	PLASTIC BATTERY BOX COVER			
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	. 2		
107-046	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-002	JACOBS COMPRESSION BRAKE			
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	9	3	
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
122-1H2	DETROIT FUEL/WATER SEPARATOR WITH BYPASS AND 12 VOLT PREHEATER	10		
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR			
118-001	FULL FLOW OIL FILTER			
266-109	1400 SQUARE INCH VOCATIONAL RADIATOR WITH PROTECTION PACKAGE	20		

Data Code	Description	Weight Front	Weight Rear
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4	
166-005	PHILLIPS-TEMRO 300 WATT/115 VOLT OIL PREHEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
155-075	MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH		
Transmission			
342-445	EATON FULLER RTO-16908LL TRANSMISSION	-120	-60
Transmission Equi	oment:		
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS		
180-1AR	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH WITH PREDAMPER	20	
183-008	TORQUE LIMITING CLUTCH BRAKE		,
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		
182-005	HYDRAULIC CLUTCH CONTROL		
347-002	ALUMINUM CLUTCH HOUSING		
362-998	NO MAIN TRANSMISSION MOUNTED PTO		
363-998	NO PTO MOUNTING LOCATION SPECIFIED		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE		
370-002	AIR TO OIL TRANSMISSION COOLER		
35T-003	SYNTHETIC TRANSMISSION LUBE		**/23) militin (**/40)-u sight-company mg mathyr) mag pringstyr manyoldin har som maged 1707 - 1 mi litin (**
Front Axle and Equ	ipment		
400-1AC	CUMMINS-MERITOR MFS-20-133A 20,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	240	a vida uma cristiante del 1920, e el circo de acesto de la ciente de seguindo de como de la como de la como de

Data Code	Description	Weight Front	Weight Rear
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20	
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	FRONT BRAKE DUST SHIELDS	5	
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
405-031	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS		
536-104	DUAL POWER STEERING GEARS, BENDIX 16- 20K	80	
534-003	4 QUART POWER STEERING RESERVOIR	5	
533-001	OIL/AIR POWER STEERING COOLER	5	
40T-003	SYNTHETIC 40/50W FRONT AXLE LUBE		
Front Suspension			
620-025	20,000# TAPERLEAF FRONT SUSPENSION	145	1100 120 to the planning of 100 and 100 to the total and t
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equip	ment		
420-111	CUMMINS-MERITOR RT-46-160P 46,000# R- SERIES TANDEM REAR AXLE WITH PUMP		500
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		60
421-410	4.10 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-067	RPL25SD MERITOR MAIN DRIVELINE		
388-039	RPL20 MERITOR INTERAXLE DRIVELINE		
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE		
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		

		Weight	Weight
Data Code	Description	Front	Rear
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		
425-002	REAR BRAKE DUST SHIELDS		10
440-006	REAR OIL SEALS		
426-1B3	BENDIX EVERSURE LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
428-031	HALDEX AUTOMATIC REAR SLACK ADJUSTERS WITH STAINLESS STEEL CLEVIS PINS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			
622-298	TUFTRAC GEN2 46,000# REAR SPRING SUSPENSION		560
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)		
431-003	AXLE CLAMPING GROUP		
624-025	55 INCH AXLE SPACING		
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS		
439-002	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)		40
Pusher // Tag Equipm	ent ()		A Part of the Control
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS	The second secon	
Brake System			
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER		
483-003	BENDIX OIL COALESCING FILTER FOR AIR DRYER		
479-015	AIR DRYER FRAME MOUNTED		

Data Code	Description	Weight Front	Weight Rear
460-090	STEEL AIR BRAKE RESERVOIRS, NO TRIPLE OR TORPEDO TANKS		
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Wheelbase & Frame			
545-118	5390MM (212 INCH) WHEELBASE, SFA ONLY		
546-106	13.0MM X 87.0MM X 311.0MM STEEL FRAME (0.51X3.43X12.24 INCH) 120 KSI	370	330
552-014	1900MM (75 INCH) REAR FRAME OVERHANG		
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-50	160
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	120	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 130.71 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 339.6 in		
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 44.39 in		
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 40.7 in		
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 43.64 in		
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 41.08 in		
553-001	SQUARE END OF FRAME		
587-003	REAR TOW HOOKS		10
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
561-015	STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION		
562-063	STANDARD CAST ALUMINUM MIDSHIP		
572-082	STANDARD CAST ALUMINUM REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		20
568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER		
Chassis Equipment			
025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS		
5CF-001	CLEAR FRAME SPACE REQUESTED		
556-800	TEMPORARY STEEL BUMPER	-40	
558-998	NO FRONT TOW HOOKS	-15	
574-998	NO LICENSE PLATE MOUNTING		
551-034	CLASS 10.9 THREADED METRIC FASTENERS		
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Fuel Tanks		1. 10 Page	

	Data Code	Description	Weight Front	Weight Rear
	204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	10	10
	218-006	25 INCH DIAMETER FUEL TANK(S)		
	215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
	212-007	FUEL TANK(S) FORWARD		
	664-001	PLAIN STEP FINISH		
	205-002	CHROME FUEL TANK CAP(S)		
	216-020	EQUIFLO INBOARD FUEL SYSTEM		
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires		75 45 15 15 15 15 15 15 15 15 15 15 15 15 15		
	093-2CC	MICHELIN XZU-S2 315/80R22.5 20 PLY RADIAL FRONT TIRES	100	
*	094-0GR	MICHELIN XDN2 12R22.5 16 PLY RADIAL REAR TIRES		208
Wheels				
Carlo Santa Maria Carlo San A	502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
	505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		104
	496-011	FRONT WHEEL MOUNTING NUTS		
	497-011	REAR WHEEL MOUNTING NUTS		
	498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES		
Cab Ex	terior			
	829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB		
	82A-028	STAINLESS STEEL CAB ACCENT MOLDING		
	667-001	FRONT FENDERS		
	754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10	
	678-066	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES		
	65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS		
	640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB		
	644-049	X-SERIES VOCATIONAL HOOD WITH ACCESS HATCH	10	
	67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT		

Data Code	Description	Weight Front	Weight Rear
652-016	WESTERN STAR NAMEPLATES		
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS		
726-001	SINGLE ELECTRIC HORN		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
327-064	DUAL AMBER LED CLASS I STROBE LIGHTS WITH STAINLESS STEEL BRACKETS ABOVE CAB DOORS	20	•
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM		
302-073	VISOR MOUNTED LED MARKER LIGHTS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
311-001	DAYTIME RUNNING LIGHTS		
294-1AV	LED STOP/TAIL WITH SEPARATE LED BACKUP LIGHTS MOUNTED ON PAINTED STEEL PLATE END OF FRAME		5 '
300-043	LED SIDE TURN SIGNAL		
744-105	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR	20	
796-001	102 INCH EQUIPMENT WIDTH		
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		
74A-001	RH DOWN VIEW MIRROR		
729-001	STANDARD SIDE/REAR REFLECTORS		
677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
764-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	16	
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH		
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
Cab Interior			
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
70 7 -1CW	QUARRY GRAY VINYL BASE LEVEL INTERIOR		
70K-016	CARBON WITH BASE BLACK ACCENT		

	Data Code	Description	Weight Front	Weight Rear
	772-035	BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION		
	785-015	(1) DASH MOUNTED POWER OUTLET, LIGHTER AND ASH TRAY		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
	741-015	(2) COAT HOOKS ON BACKWALL OF CAB		
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
	720-025	5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	10	
	170-045	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY		
	698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
	739-033	STANDARD INSULATION		
	324-1B3	STANDARD LED CAB LIGHTING		•
	787-998	NO SECURITY DEVICE		
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
	78G-002	KEY QUANTITY OF 2		
	655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION		
	64C-002	BRIGHT DOOR HANDLES		
٠	722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10	
	756-1 J 5	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT		
	760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT		
	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS		
	758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO		
	761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO		
	763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS		
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
	540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		

Data Code	Description	Weight Front	Weight Rear
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS	<u>, , , , , , , , , , , , , , , , , , , </u>	
Instruments & Contr	ols		
185-009	EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON- ADJUSTABLE SUSPENDED PEDALS	CONTROL OF THE CONTRO	
106-002	ELECTRONIC ACCELERATOR CONTROL		
870-001	BLACK GAUGE BEZELS		
734-026	VOCATIONAL INSTRUMENT PANEL WITH CUSTOMER SPECIFIED CUSTOM SWITCH AND GAUGE LAYOUT		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
721-001	97 DB BACKUP ALARM		3
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
845-011	FUEL FILTER RESTRICTION INDICATOR		
148-074	ENGINE REMOTE INTERFACE NOT CONFIGURED		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-001	ENGINE OIL TEMPERATURE GAUGE		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
736-998	NO OBSTACLE DETECTION SYSTEM		

	Data Code	Description	Weight Front	Weight Rear	
	73K-998	NO SIDE OBJECT DETECTION SYSTEM		 	"
	72J-998	NO DR ASSIST SYSTEM			
	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			
	73B-998	NO LANE DEPARTURE WARNING SYSTEM			
	35M-010	QUICKFIT PROGRAMMABLE INTERFACE MODULE	10		
	6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			
	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939			
	747-001	DASH MOUNTED RADIO			
	750-041	STANDARD SPEAKER SYSTEM			
	753-998	NO AM/FM RADIO ANTENNA			
	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
	751-998	NO SPEAKER/LEAD FOR 2-WAY RADIO	4		
	752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			
	75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			
	812-032	ELECTRONIC 2500 RPM TACHOMETER			
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE			
	8D1-205	5 YEARS DETROIT CONNECT BASE PACKAGE (FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM			
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			
	329-129	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT			
	4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
N	4C2-025	HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
N	4C3-016	HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
	4C4-016	HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS IGNITION POWER			
	81Y-998	NO PRE TRIP SYSTEM TEST			

	Data Code	Description	Weight Front	Weight Rear
	883-002	REAR SPRING LOADED HAND CONTROL BRAKE VALVE	2	
	842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-028	MANUAL TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	4E1-013	PROGRAMMABLE SWITCHES/INDICATORS LOCATED IN AUXILIARY PANEL		
	48H-002	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS		
*	4CG-004	4 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		
	\$A-	4U0214ZZ,A1A0230ZZ,A1B0192ZZ,A1C0230ZZ		
	48C-002	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUTS		
Design				
<u> </u>	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-6A2	CAB COLOR A: L2832EY YELLOW ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
Certifica	ition / Compli	ance		
territinati (dinagguniatinada	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	s.aleover. Horistay edinesis.	
Second	ary Factory O	ptions		
*	998-032	CORPORATE PDI CENTER OPTION INSTALLATION/MODIFICATION ONLY	 Broken as who of distribute data are entire for much as for much as it is produced. 	andered Schiller (c.m. or Tour <u>all manufactures about the Sta</u> ndard Laboratory (1965) _{(1967) (1966) and an included and a second control of the second c}
\$1844 house he had been been been been been been been bee	FU	RNISH AND INSTALL HEATED WIPER BLADES, PER C	TS QUOTE #01:	31BM.
Raw Pe	rformance Da			
	5MA-500	CFS,RH,OB,#1,START 0* BOC		

Prepared by: TRACEY ROAD EQUIPMENT, INC. 6803 MANLIUS CENTER ROAD EAST SYRACUSE, NY 13057 Phone: 315-437-4800

 Data Code
 Description
 Weight Front
 Weight Rear

 5MB-024
 CFS,RH,OB,#1, 24" LONG

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	9708 lbs	8998 lbs	18706 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight ⁺	9708 lbs	8998 lbs	18706 lbs

Extended Warranty

WAI-6V3

EW4: DD13 CARB COMPLIANT VOC 7 YEARS/150,000 MILES/241,500 KM. EXTENDED ENGINE COVERAGE, FEX APPLIES

Dealer installe	d Options			
		Weight	Weight	
		Front	Rear	
SPRNG	RH SPRING BUILD-UP	0	0	
HTWPR	HEATED WIPER BLADES - CTS	0	0	
	Total Dealer Installed Options	0 lbs	0 lbs	

⁽⁺⁾ Weights shown are estimates only.
If weight is critical, contact Customer Application Engineering.

^(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.